MONMOUTH COUNTY HEALTH DEPARTMENT LABORATORY ANALYSIS SPECIFICATIONS CALENDAR YEAR - 2022

The costs quoted for the list of analyses will be used to select a NJ State Certified Laboratory for a 12 month period from January 1, 2022 through December 31, 2022 to serve the special analytical needs of the Monmouth County Health Department (MCHD).

There is no minimum volume of samples to be submitted for analysis for the term of this contract. A maximum of \$40,000 is allotted for the term although special projects may increase the volume substantially, at the discretion of the MCHD.

The wastewater parameters are: Estimated Quantity Cost each for <=5 Item Total EPA Method 1600 Enterococcus 20 32.00 640.00 Cost each for >=6 EPA Method 1600 Enterococcus 1000 32.00 32,000.00 Cost each for <=5 30.00 300.00 EPA Method 1603 Escherichia coli* 10 Cost each for $\geq =6$ 40 EPA Method 1603 Escherichia coli* 30.00 1200.00 Cost each for <=5 Fecal coliform SM 9222D 28.00 10 280.00 Cost each for $\geq =6$ 26.00 Fecal coliform SM 9222D 30 780.00 Total Bid: 35,200.00

^{*} For E. coli testing the following methods are approved for ambient waters and Wastewaters: EPA Method 1603; mColiBlue 24 (Hach 10029), if available; SM 9223B (multiple well/multiple tube with Colilert or Colilert media).

VARIANCES

Quoted prices shall be valid for the period January 1, 2022 to December 31, 2022. Variances if any:
ADDITIONAL CHARGES
1a. In the event court testimony is needed, please state hourly rate for court testimony \$_100.00 _per hour.
1b. Travel time/mileage charge for court testimony/
2. If an additional Quality Control/Quality Assurance Package is requested, the fee to be charged for these reports will be computed at a cost of \$_50.00\/\text{/hour.}
3. Surcharge for picking up samples from the MCHD when less than 24 hours notice is given: 60.00
4. Surcharge for receiving emergency samples after normal working hours of 8:30 am-4:30 pm Monday through Friday:60.00

^{**}The above mentioned "Additional Charges" will be used on an if and or as needed basis. The "Additional Charges" will not be used in determining the low bidder**