

SIGNATURE PAGE


RFQ# F-90-2024

To the Board of County Commissioners of the County of Monmouth:

**THE UNDERSIGNED HEREBY DECLARES THAT
I (WE) HAVE CAREFULLY EXAMINED THE SPECIFICATIONS.
I (WE) HEREBY CERTIFY PRICES QUOTED ARE IN ACCORDANCE
WITH YOUR REQUIREMENTS.**

Company Name: ROAD SAFETY SYSTEMS, LLC
(PRINT)

Preparer's Name: WILLIAM L. YOST, III
(PRINT)

Signature:  9-13-24
(DATE)

Address: 12 PARK DR.
SHAMONG, NJ 08088

Telephone No.: 609-801-9332

Fax No.: 609-801-9334

E-Mail Address: BILL@ROADSAFETYSYSTEM.COM

*****(This should be the email where Contracts would be sent)*****

Contact Person: BILL YOST

FEIN: _____
(Federal Employee ID)

(Revised 9/2015)

**2024 MONMOUTH COUNTY DIVISION OF BRIDGES
BEAM GUIDERAIL MATERIALS AND PARTS**

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
1	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED	\$ 216 ⁰⁰
2	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED	208 ⁰⁰
3	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED	97 ⁵⁰
4	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED	445 ⁵⁰
5	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED	429 ⁰⁰
6	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED	182 ⁰⁰
7	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 3'-1½", BROWN POWDER COATED	208 ⁰⁰
8	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 3'-1½", BLACK POWDER COATED	216 ⁰⁰
9	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 3'-1½", GALVANIZED	97 ⁵⁰
10	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 1'-6¾", BLACK POWDER COATED	216 ⁰⁰
11	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 1'-6¾", BROWN POWDER COATED	208 ⁰⁰
12	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, MIDSPAM SPLICES, POST HOLES SPACED @ 1'-6¾", GALVANIZED	97 ⁵⁰
13	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED	216 ⁰⁰
14	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED	208 ⁰⁰
15	W-BEAM GUIDE RAIL (12 GA.), 13'-6 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED	97 ⁵⁰
16	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BLACK POWDER COATED	445 ⁵⁰
17	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", BROWN POWDER COATED	429 ⁰⁰
18	W-BEAM GUIDE RAIL (12 GA.), 26'-0 ½" LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3", GALVANIZED	182 ⁰⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
19	W-BEAM TERMINAL CONNECTOR (10 GA.), BLACK POWDER COATED	141 ⁷⁵
20	W-BEAM TERMINAL CONNECTOR (10 GA.), BROWN POWDER COATED	136 ⁵⁰
21	W-BEAM TERMINAL CONNECTOR (10 GA.), GALVANIZED	71 ⁵⁰
22	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BLACK POWDER COATED, 12'-5 $\frac{1}{4}$ " LONG)	378 ⁰⁰
23	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BROWN POWDER COATED, 12'-5 $\frac{1}{4}$ " LONG)	364 ⁰⁰
24	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., GALVANIZED, 12'-5 $\frac{1}{4}$ " LONG)	234 ⁰⁰
25	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BLACK POWDER COATED, 24'-11 $\frac{1}{4}$ " LONG)	783 ⁰⁰
26	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., BROWN POWDER COATED, 24'-11 $\frac{1}{4}$ " LONG)	754 ⁰⁰
27	STRUCTURAL C CHANNEL, C6 X 8.2 (10 GA., GALVANIZED, 24'-11 $\frac{1}{4}$ " LONG)	468 ⁰⁰
28	TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, BLACK POWER COATED	3,766 ⁵⁰
29	TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, BROWN POWER COATED	3,627 ⁰⁰
30	TANGENT TERMINAL (MASH TL-3) MSKT-SP-MGS WITH 8" SYNTHETIC BLOCKOUT, GALVANIZED POWER COATED	2,327 ⁰⁰
31	TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, BLACK POWER COATED	5,700 ⁰⁰
32	TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, BROWN POWER COATED	5,320 ⁰⁰
33	TANGENT TERMINAL (MASH TL-3) SOFTSTOP SYSTEM WITH STEEL POSTS AND 8" SYNTHETIC BLOCKOUT, GALVANIZED POWER COATED	3,780 ⁰⁰
34	CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), BLACK POWDER COATED	3,712 ⁵⁰
35	CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), BROWN POWDER COATED	3,575 ⁰⁰
36	CONTROLLED RELEASE TERMINAL (NCHRP 230 TL-3), 8' RAD., W/CRT ANCHOR (COMPLETE UNIT), GALVANIZED	2,275 ⁰⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
37	CONTROLLED RELEASE TERMINAL ANCHORAGE	1,657 ⁵⁰
38	BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), BLACK POWDER COATED	1,829 ²⁵
39	BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), BROWN POWDER COATED	1,761 ⁵⁰
40	BEAM GUIDE RAIL ANCHORAGE (MASH TL-3), GALVANIZED	1,111 ⁵⁰
41	THRIE BREAM TERMINAL CONNECTOR (10 GA.), BLACK POWDER COATED	249 ⁷⁵
42	THRIE BREAM TERMINAL CONNECTOR (10 GA.), BROWN POWDER COATED	240 ⁵⁰
43	THRIE BREAM TERMINAL CONNECTOR (10 GA.), GALVANIZED	110 ⁵⁰
44	THRIE BEAM GUIDE RAIL, 13'-6½", BLACK POWDER COATED	486 ⁰⁰
45	THRIE BEAM GUIDE RAIL, 13'-6½", BROWN POWDER COATED	468 ⁰⁰
46	THRIE BEAM GUIDE RAIL, 13'-6½", GALVANIZED	208 ⁰⁰
47	THRIE BEAM GUIDE RAIL, 26'-1/2", BLACK POWDER COATED	1,039 ⁵⁰
48	THRIE BEAM GUIDE RAIL, 26'-1/2", BROWN POWDER COATED	1,001 ⁰⁰
49	THRIE BEAM GUIDE RAIL, 26'-1/2", GALVANIZED	351 ⁰⁰
50	THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), BLACK POWDER COATED	452 ²⁵
51	THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), BROWN POWDER COATED	435 ⁵⁰
52	THRIE BEAM TO W-BEAM SYMETRICAL TRANSITION, 7'-3½" LONG (10 GA.), GALVANIZED	273 ⁰⁰
53	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), BLACK POWDER COATED	506 ²⁵
54	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), BROWN POWDER COATED	487 ⁵⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
55	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, LEFT SIDE, 7'-3½" LONG (10 GA.), GALVANIZED	260 ⁰⁰
56	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), BLACK POWDER COATED	506 ²⁵
57	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), BROWN POWDER COATED	487 ⁵⁰
58	THRIE BEAM TO W-BEAM ASYMETRICAL TRANSITION, RIGHT SIDE, 7'-3½" LONG (10 GA.), GALVANIZED	260 ⁰⁰
59	THRIE BEAM SECTION (10 GA.), 4'-2" LONG, BLACK POWDER COATED	256 ⁵⁰
60	THRIE BEAM SECTION (10 GA.), 4'-2" LONG, BROWN POWDER COATED	247 ⁰⁰
61	THRIE BEAM SECTION (10 GA.), 4'-2" LONG, GALVANIZED	130 ⁰⁰
62	THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, BLACK POWDER COATED	270 ⁰⁰
63	THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, BROWN POWDER COATED	260 ⁰⁰
64	THRIE BEAM SECTION (12 GA.), 7'-3½" LONG, GALVANIZED	110 ⁵⁰
65	FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), BLACK POWDER COATED	6,870 ⁵⁰
66	FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), BROWN POWDER COATED	6,342 ⁰⁰
67	FLEAT-MT-MGS (STEEL POST & 8" SYN. BLOCKOUT), GALVANIZED	4,731 ²⁵
68	BURIED GUIDE RAIL TERMINAL (MASH TL-3), 50' LONG, RAILPOST SPLICES, POST HOLES SPACED @ 6'-3"	1,332 ⁵⁰
69	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, BLACK POWDER COATED)	121 ⁵⁰
70	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, BROWN POWDER COATED)	117 ⁰⁰
71	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-0" LONG, GALVANIZED)	65 ⁰⁰
72	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, BLACK POWDER COATED)	148 ⁵⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
73	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, BROWN POWDER COATED)	143 ⁰⁰
74	STEEL POST (W6 X 8.5 OR W6 X 9, 6'-9" LONG, GALVANIZED)	71 ⁵⁰
75	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, BLACK POWDER COATED)	175 ⁵⁰
76	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, BROWN POWDER COATED)	169 ⁰⁰
77	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-0" LONG, GALVANIZED)	78 ⁰⁰
78	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, BLACK POWDER COATED)	184 ⁹⁵
79	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, BROWN POWDER COATED)	178 ¹⁰
80	STEEL POST (W6 X 8.5 OR W6 X 9, 7'-2" LONG, GALVANIZED)	80 ⁶⁰
81	STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, BLACK POWDER COATED)	195 ⁷⁵
82	STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, BROWN POWDER COATED)	188 ⁵⁰
83	STEEL POST (W6 X 8.5 OR W6 X 9, 8'-0" LONG, GALVANIZED)	84 ⁵⁰
84	STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, BLACK POWDER COATED)	216 ⁰⁰
85	STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, BROWN POWDER COATED)	208 ⁰⁰
86	STEEL POST (W6 X 8.5 OR W6 X 9, 9'-0" LONG, GALVANIZED)	97 ⁵⁰
87	STEEL POST (W6 X 20, 36" LONG, BLACK POWDER COATED)	472 ⁵⁰
88	STEEL POST (W6 X 20, 36" LONG, BROWN POWDER COATED)	437 ⁵⁰
89	STEEL POST (W6 X 20, 36" LONG, GALVANIZED)	240 ⁰⁰
90	STEEL FOUNDATION TUBES, TS-8" X 6" X 3/16", 6' - 0" LONG	240 ⁵⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
91	WOOD POST 7½" X 5½" X 3'-10"	49 ⁰⁰
92	WOOD BREAKAWAY POST, 7½" X 5½" X 3'-6½"	53 ²⁰
93	WOOD POST CRT, 6" X 8" X 6'-0"	49 ⁰⁰
94	WOOD BLOCKOUT, 6" X 8" X 14"	12 ⁰⁰
95	BLOCKOUT RECYCLED/SYNTHETIC, 6" X 8" X 14", MASH (TL-3)	7 ⁰⁰
96	BLOCKOUT RECYCLED/SYNTHETIC, 6" X 8" X 22", (TL-2 ATTACHMENT)	14 ⁰⁰
97	BLOCKOUT STEEL STRUCTURAL TUBE, 7" X 5" X 3/16", 1'-5¾" LONG, (TL-3 ATTACHMENT)	77 ⁰⁰
98	BLOCKOUT STEEL STRUCTURAL TUBE, 7" X 5" X 3/16", 1'-1¾" LONG (TL-3 ATTACHMENT)	77 ⁰⁰
99	BLOCKOUT STEEL, W6 X 15 (6" X 6" X 14"), GALVANIZED	91 ⁰⁰
100	BLOCKOUT STEEL, W14 X 22 (5" X 14" X 17", MODIFIED THRIE BEAM)	77 ⁰⁰
101	BLOCKOUT STEEL, W6 X 8.5 OR W6 X 9, 6" X 4" X 14" (ATTACHMENT TO SIDEWALK) CD-609-11	28 ⁰⁰
102	BEAM GUIDE RAIL END SECTION (ROUNDED), GALVANIZED	70 ⁰⁰
103	THRIE BEAM END SECTION (ROUNDED)	143 ⁰⁰
104	BUFFER END SECTION 30" DIA., (CONTROLLED RELEASE TERMINAL), GALVANIZED	130 ⁰⁰
105	ANCHORAGE GROUND STRUT C6 X 8.2, 5'-7" LONG	130 ⁰⁰
106	GALVANIZED CABLE, 6 X 19, IWRC, IPS, ¾" DIA., EACH END WITH 1'-3" SWAGED FITTING AND 1" DIA. X 7" STUD THREADED	325 ⁰⁰
107	GALVANIZED CABLE, 3" DIA., 9'-0" LONG, ONE SWAGED END	130 ⁰⁰
108	GALVANIZED STEEL PIPE SCHEDULE 40, 10" O.D., 1'1" LONG, CD-609-12	127 ⁵⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
109	GALVANIZED STEEL PIPE SCHEDULE 40, 6" O.D., 1'1" LONG, CD-609-12	112 ⁵⁰
110	GALVANIZED STRUCTURAL TUBE 2½" X 2½" X 1/4", 8" LONG	130 ⁰⁰
111	GALVANIZED PIPE, 2" DIA., 1'1" LONG, CD-609-12	12 ⁰⁰
112	GALVANIZED FULL LENGTH THREADED STUD, 1" DIA., 4" LONG	15 ⁰⁰
113	ANCHOR BEARING BRACKET PLATE, 3/16" THICK, 16" LENGTH, 4-3/4" DIA. HOLES, CD-609-4	60 ⁰⁰
114	STEEL BEARING PLATE, ANCHOR BRACKET, 3/8" X 2¾" X 3", WITH 1½" DIA. HOLE @ CENTER	130 ⁰⁰
115	STEEL BEARING PLATE, 5/8" X 8" X 8", WITH 1½" DIA. HOLE @ (4" AND 3" OFF EDGE)	39 ⁰⁰
116	STEEL BEARING PLATE, 5/8" X 8" X 8", WITH 1½" DIA. HOLE @ (4" and 3" OFF EDGE)	45 ⁵⁰
117	STEEL PLATE, 1/4" X 2'-0" X 1'-6", WITH TWO 7/8" DIA. HOLES (SOIL PLATE)	78 ⁰⁰
118	STEEL PLATE, 1/4" X 2½" X 2½", WITH 1½" DIA. HOLE	130 ⁰⁰
119	STEEL PLATE, 3/16" X 1" X 8"	130 ⁰⁰
120	STEEL PLATE, 3/8" X 4" X 1'-0"	130 ⁰⁰
121	STEEL PLATE, 1/2" X 14" X 14", BURIED GUIDE RAIL TERMINAL (MASH TL-3)	97 ⁵⁰
122	BASE STEEL PLATE, 1½" X 1'-0" X 1'-0", WITH 4-1" DIA. HOLES OFFSET 1½" FROM EDGES	130 ⁰⁰
123	STEEL MOUNTING PLATE, 3/8" X 1'-4" X 10", GALVANIZED	104 ⁰⁰
124	STEEL BACKUP PLATE FOR THRIE-BEAM TERMINAL CONNECTOR, 5/8" X 12" X 1'-8½"	117 ⁰⁰
125	STEEL BACKUP PLATE FOR W-BEAM TERMINAL CONNECTOR, 5/8" X 12" X 12"	84 ⁵⁰
126	BACKUP STEEL PLATE, 12" X 20" WITH TWO 3/4" X 2½" POST BOLT SLOT	26 ⁰⁰

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
127	TRIANGULAR GUIDE RAIL REFLECTORS	7 <u>80</u>
128	NAILS 10d, GALVANIZED	6 <u>50</u>
129	NAILS 16d, GALVANIZED	6 <u>50</u>
130	CABLE CLIPS, 3/4"	16 <u>90</u>
131	STEEL ROUND WASHER 7/8", GALVANIZED	1 <u>88</u>
132	STEEL HEX NUT AND WASHER, FOR 1" DIA. STUD	4 <u>50</u>
133	STEEL SQUARE WASHER 3/16" X 1 1/4" X 1 1/4", 1" DIA. HOLE	4 <u>50</u>
134	BUTTON HEAD BOLTS, 5/8" DIA. 1 1/4" LENGTH, FULL LENGTH THREAD, GALVANIZED	1 <u>50</u>
135	BUTTON HEAD BOLTS, 5/8" DIA. X 9 1/2" LENGTH, MIN. THREAD LENGTH 1 1/4", GALVANIZED	4 <u>50</u>
136	BUTTON HEAD BOLTS, 5/8" DIA. X 1 1/4" LONG, WITH RECESS NUT, GALVANIZED	1 <u>50</u>
137	BUTTON HEAD BOLTS, 5/8" DIA. X 2" LONG, WITH RECESS NUT, GALVANIZED	3 <u>00</u>
138	BUTTON HEAD BOLTS, 5/8" DIA. X 9 1/2" LONG, WITH RECESS NUT, GALVANIZED	5 <u>25</u>
139	BUTTON HEAD BOLTS, 5/8" DIA. X 10" LONG, MIN. THREAD LENGTH 4", WITH NUT, GALVANIZED	5 <u>25</u>
140	BUTTON HEAD BOLTS, 5/8" DIA., 18" LONG, WITH WASHER, GALVANIZED	7 <u>50</u>
141	HEX HEAD BOLT, 5/8" DIA., 10" LONG, WITH STEEL NUT AND WASHER, GALVANIZED	5 <u>25</u>
142	HEX HEAD BOLT, 5/8" DIA., 1 1/2" LONG, WITH STEEL NUT AND WASHER, GALVANIZED	3 <u>00</u>
143	HEX HEAD BOLT, 5/8" DIA., 1 1/2" LONG, WITH RECTANGULAR PLATE WASHER, GALVANIZED	3 <u>00</u>
144	HEX HEAD BOLT, 5/8" DIA., 1 1/2" LONG, WITH HEAD HEX NUT	2 <u>25</u>

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
145	HEX HEAD BOLT, 5/8" DIA., 2" LONG, WITH SQUARE WASHER AND HEAD HEX NUT	6 ⁷⁵ / ₁₀₀
146	HEX HEAD BOLT, 3/4" DIA., 10" LONG AND NUT, WITH TWO WASHERS, GALVANIZED	12 ⁰⁰ / ₁₀₀
147	HEX HEAD BOLT, 3/4" DIA., 7½" LONG AND NUT, WITH TWO WASHERS, GALVANIZED	6 ⁷⁵ / ₁₀₀
148	HEX HEAD BOLT, 7/8" DIA., 8" LONG, WITH STEEL NUT AND WASHER, GALVANIZED	18 ⁰⁰ / ₁₀₀
149	CARRIAGE BOLTS, 5/8" DIA. X 1 ½" LONG, FULL THREAD LENGTH, WITH WASHER, GALVANIZED	7 ⁵⁰ / ₁₀₀
150	CARRIAGE BOLTS, 5/8" DIA. X 3" LONG, MIN. THREAD LENGTH 1½", WITH WASHER, GALVANIZED	9 ⁰⁰ / ₁₀₀
151	HIGH STRENGTH STEEL ANCHOR BOLT, AASHTO M164, 7/8" DIA., 3' X 7/8" THREADED ROD	54 ⁰⁰ / ₁₀₀
152	RECESS NUT, 5/8" DIA. 1" DIA. X 1/16" DEEP, RECESS BOTH SIDES, HEAVY HEX NUT	0 ⁹⁰ / ₁₀₀
153	QUADGUARD SYSTEM MODEL QS2403, CARTRIDGE TYPE I	1,032 ⁰⁰ / ₁₀₀
154	QUADGUARD SYSTEM MODEL QS2403, CARTRIDGE TYPE II	1,032 ⁰⁰ / ₁₀₀
155	QUADGUARD SYSTEM MODEL QS2403, NOSE ASSEMBLIES (YELLOW)	1,044 ⁰⁰ / ₁₀₀
156	QUADGUARD SYSTEM MODEL QS2403, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)	20,735 ⁰⁰ / ₁₀₀
157	QUADGUARD SYSTEM MODEL QS2406, CARTRIDGE TYPE I	946 ⁰⁰ / ₁₀₀
158	QUADGUARD SYSTEM MODEL QS2406, CARTRIDGE TYPE II	1,032 ⁰⁰ / ₁₀₀
159	QUADGUARD SYSTEM MODEL QS2406, NOSE ASSEMBLIES (YELLOW)	1,044 ⁰⁰ / ₁₀₀
160	QUADGUARD SYSTEM MODEL QS2406, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)	35,640 ⁰⁰ / ₁₀₀
161	QUADGUARD SYSTEM MODEL QS2406, WITH TRANSITION AND NOSE ASSEMBLIES (COMPLETE UNIT)	35,640 ⁰⁰ / ₁₀₀
162	QUADGUARD SYSTEM MODEL QS2406, FENDER PANEL ASSEMBLY, PART NUMBER 3540040-000	1,119 ⁶⁰ / ₁₀₀

ITEM #	ITEM DESCRIPTION	UNIT PRICE EACH
163	FLEAT 350 PARTS/HARDWARE BUCKET, GALVANIZED	135 ⁰⁰
164	FLEAT 350 RAIL ELEMENT #1 (BLACK POWER COATED, 12'-6" LONG)	357 ⁷⁵
165	FLEAT 350 RAIL ELEMENT #1 (GALVANIZED, 12'-6" LONG)	193 ⁷⁵
166	FLEAT 350 RAIL ELEMENT #1 (BROWN POWERED COATED, 12'-6" LONG)	331 ²⁵
167	W-BEAM GUIDERAIL END SECTION 12 GA, MSKT #1 RAIL	260 ⁰⁰
168	FIRST POST TOP (6X6X1/8 TUBE)	130 ⁰⁰
169	FIRST POST BOTTOM (6' W6X15)	286 ⁰⁰
170	SECOND POST ASSEMBLY TOP	91 ⁰⁰
171	SECOND POST ASSEMBLY BOTTOM	104 ⁰⁰
172	W-BEAM MGS RAIL SECTION (9-41/2)	84 ⁵⁰
173	MSKT HARDWARE BUCKET	117 ⁰⁰
	TOTAL OF ALL ITEMS #1-173 =	184,979 ⁶⁸

NOTES:

THIS BID WILL BE AWARDED ON A LUMP SUM BASIS. THE LOW BID WILL BE DETERMINED BY TOTALING ALL UNIT PRICES. HOWEVER, THE FINAL AWARD AMOUNT WILL NOT EXCEED DEPARTMENT'S BUDGETARY AMOUNT.

ALL ITEMS MUST BE BID UPON TO BE CONSIDERED FOR AWARD.

VARIANCES:
