

**MONMOUTH COUNTY PARK SYSTEM
805 NEWMAN SPRINGS ROAD
LINCROFT, NJ 07738
(732) 842-4000**

**FURNISHING AND DELIVERY OF ONE(1) 2014 OR
CURRENT PRODUCTION YEAR HIGH LIFT ARTICULATED WHEEL LOADER
WITH 2.75 CUBIC YARD MULTI-PURPOSE (4-IN-1) BUCKET
WITH OPTIONAL TRADE-IN**

BID NO: #0039-14

ADVERTISED: MONDAY, MAY 5, 2014

BIDS DUE: FRIDAY, MAY 23, 2014 at 10:00 AM

INSEPCION DATE: TUESDAY, MAY 20, 2014

TO APPEAR IN PAPER: MONDAY, MAY 5, 2014

NOTICE TO BIDDERS

Notice is hereby given that sealed bids will be received by the Monmouth County Board of Recreation Commissioners at the Monmouth County Park System HEADQUARTERS BUILDING, Thompson Park, 805 Newman Springs Road, Lincroft, New Jersey 07738, until **10:00 a.m.**, prevailing time on **FRIDAY, MAY 23, 2014** and then publicly read aloud for the following:

- 1. FURNISHING AND DELIVERY OF GOLF COURSE BUNKER SAND (BID #0038-14)**
- 2. FURNISHING AND DELIVERY OF ONE(1) 2014 OR CURRENT PRODUCTION YEAR HIGH LIFT ARTICULATED WHEEL LOADER WITH 2.75 CUBIC YARD MULTI-PURPOSE (4-IN-1) BUCKET WITH OPTIONAL TRADE-IN (BID #0039-14)**

Bid Documents, including Instructions to Bidders, complete Plans and Specifications, and Proposal Forms may be obtained by qualified bidders on our website at www.monmouthcountyparks.com; **"Do Business with Us;" "Request for Bids"** or at Monmouth County Park System, Headquarters, Thompson Park, 805 Newman Springs Road, Lincroft, New Jersey 07738 between the hours 8:00 a.m. and 4:30 p.m., Monday through Friday. If requested by potential bidders, the Monmouth County Park System will mail a bid packet to such bidders. The Monmouth County Park System only assumes the responsibility for email and /or fax notifications and for placing bid packet in the mail, and not for the proper and timely delivery of such notices or packets.

Bids must be submitted on the proposal form provided or an exact duplicate in the manner designated and required by the specifications. Bid submitted must be enclosed in sealed envelopes bearing the name and address of the bidder, the title of the bid, and the words "Sealed Bid." Bids are to be addressed to the Purchasing Agent, Monmouth County Board of Recreation Commissioners, 805 Newman Springs Road, Lincroft, New Jersey 07738. Bids must be delivered at the place and before the hour mentioned above.

All bidders are required to comply with requirements of P.L. 1975, c.127, N.J.S.A. 10:5-31, et seq. (N.J.A.C. 17:27) (Affirmative Action), 42 U.S.C. 512101, et seq. (Americans with Disabilities Act), and N.J.S.A 40A:11-16 "Designated Subcontractors," N.J.S.A. 52:32-44 (Business Registration) and N.J.S.A. 34:11-56.25, et seq. (Prevailing Wage), "The Public Works Contractor Registration Act" (P.L.1999, s.238, as amended by P.L.2003, c.91), and all other laws and regulations that apply to bidding and the performance of the proposed contract.

The Monmouth County Board of Recreation Commissioners reserves the right to waive any informality in, or to reject any or all bids, and to award contracts in whole or in part, if deemed in the best interest of the Board to do so.

The Monmouth County Board of Recreation Commissioners shall reserve the right to hold bids for sixty (60) days prior to award of contracts.

All inquiries are to be directed to the Purchasing Department at (732) 842-4000.

By order of the Board of Recreation Commissioners of the County of Monmouth.

Fred J. Rummel, Chairman
James J. Truncer, Secretary-Director
Stephanie Weise, Purchasing Agent

GENERAL CONDITIONS

1. All bidders must submit their proposals on the enclosed forms and must furnish all required information. FAILURE TO PROPERLY EXECUTE THESE FORMS MAY BE CAUSE FOR REJECTION OF THE BID.
2. The bid must be enclosed in two (2) sealed envelopes, one inside the other. The word "BID" must be written on both envelopes. The outside envelope must bear the title of the bid, the date of the bid opening, and the name and address of the bidder.
3. Included with this specification is a true copy of the contract that will be the formal contract to be executed by the successful bidder.
4. The quality of items to be furnished is as set forth in detail in the proposal
5. Any brand names mentioned in the specification shall be deemed to include the words "or approved equal", and bids submitted on other brands must include detailed information and specifications that may be used for the purpose of making comparisons.
6. All bidders must indicate any variation to the specifications, terms, and conditions, no matter how slight. If no variances are indicated, it will be defined to mean that the specification will be fully complied with.
7. Items of foreign origin must be so indicated. Your signature to the bid proposal will be taken as your certification that all manufactured articles and materials not so indicated, have been made or produced in the United States (40 A:11-18)
8. The bidder, if awarded a contract, agrees to protect, defend and save harmless the contracting unit against any damage for payment for the use of any patented material process, article or devise that may enter into the manufacture, construction or form a part of the work covered by either order or contract, and he further agrees to indemnify and save harmless the contracting unit from suits or actions of every nature and description brought against it, for, or on account of any injuries or damages received or sustained by an party or parties by, or from any of the acts of the contractor, his servants or agents.
9. The Monmouth County Board of Recreation Commissioners reserves the right to reject any or all bids and to waive any minor defect or informality in any bid, should it be in the best interest of the Board to do so.
10. The Board of Recreation Commissioners has up to sixty (60) days to make the award. If addition time is required beyond sixty (60) days, the contracting unit may request permission to do so from any one of the three apparent lowest responsible bidders for an additional period of time to be agreed to by the contracting unit and bidders.
11. In the event that the bidder to whom the contract is awarded should fail to enter into a contract, the Board of Recreation Commissioners may, at its option, accept the proposal of the next lowest bidder.
12. Should the contractor fail to fulfill the terms of the contract within the specified time, the Board of Recreation Commissioners reserves the right to rescind the contract and secure the items or services elsewhere. The contractor is responsible for any additional cost incurred as a result of this action.
13. All items are to be delivered F.O.B. destination specified. The maximum of days allowable for delivery is indicated in the specification and must be adhered to.
14. The County of Monmouth and the Board of Recreation Commissioners are exempt from all Federal, State, and Municipal sales and excise taxes. The New Jersey Sales Tax Exemption Number is 69-0220842.

15. Following delivery, an invoice and a signed Monmouth County payment voucher must be submitted to the Board of Recreation Commissioners. Payment will be made upon approval of the voucher by the Monmouth County Board of Recreation Commissioners and the Monmouth County Board of Chosen Freeholders

16. MANDATORY BUSINESS REGISTRATION CERTIFICATE

**NEW JERSEY BUSINESS REGISTRATION REQUIREMENTS
NON-CONSTRUCTION**

All New Jersey and out of state business organizations must obtain a Business Registration Certificate (BRC) from the Department of Treasury, Division of Revenue, prior to conducting business in the State of New Jersey. Proof of valid business registration with the Division of Revenue, Department of Treasury, State of New Jersey, must be submitted. No contract will be awarded without proof of business registration with the Division of Revenue. The contract will contain provisions in compliance with N.J.S.A. 52:32-44, as amended, outlined below.

The contractor shall provide written notice to its subcontractors and suppliers of the responsibility to submit proof of business registration to the contractor.

Before final payment of the contract is made by the contracting agency, the contractor shall submit an accurate list and proof of business registration of each subcontractor or supplier used in the fulfillment of the contract, or shall attest that no subcontractors were used.


For the term of the contract, the contractor and each of its affiliates and each subcontractor and each of its affiliates (N.J.S.A. 52:32-44 (g) (3)) shall collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the "Sales and Use Tax Act" (N.J.S.A. 54:32 B-1, et seq.) on all sales of tangible personal property delivered into this state.

A business organization that fails to provide a copy of a registration as required pursuant to section 1 of P.L. 2001, c.134 (N.J.S.A. 52:32-44 et seq.) or subsection e. or f. of section 92 of P.L. 1977, c.110 (N.J.S.A. 5:12-92), or that provides false business registration information under the requirements of either of those sections, shall be liable for a penalty of \$25.00 for each day of violation, not to exceed \$50,000.00 for each business registration copy not properly provided under a contract with a contracting agency.


Sample Business Registration Certificates are attached. Certain other forms, such as a Certificate of Authority to collect Sales and Use Taxes or a Certificate of Employee Information Report Approval, are **not** proof of business registration.

Any questions in this regard can be directed to the Division of Revenue at (609) 292-9292. Form NJ-REG can be filed online at: <http://www.state.nj.us/treasury/revenue/gettingregistered.shtml>

THESE ARE SAMPLES OF THE ONLY ACCEPTABLE
N.J. BUSINESS REGISTRATION CERTIFICATES:

	STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE
Taxpayer Name:	
Trade Name:	
Address:	
Certificate Number:	
Effective Date:	
Date of Issuance:	
For Office Use Only:	

OR

STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE		<small>DEPARTMENT OF TREASURY DIVISION OF REVENUE P.O. BOX 212 TRENTON, N.J. 08646-0122</small>
TAXPAYER NAME:	TRADE NAME:	
ADDRESS:	SEQUENCE NUMBER:	
EFFECTIVE DATE:	ISSUANCE DATE:	
		 Acting Director New Jersey Division of Revenue
<small>FORM-BRC(03-01)</small>		<small>This certificate is NOT valid unless accompanied by the appropriate amount of state revenue.</small>

17. Any proposal not meeting the requirements set forth herein may be rejected.

ALL BIDS SUBMITTED SHALL INCLUDE THE ATTACHED "BIDDER'S CHECKLIST" ALONG WITH A SIGNED PROPOSAL AND ALL REQUIRED DOCUMENTS LISTED ON THE CHECKLIST

GENERAL SPECIFICATIONS

INTENT:

It is the intent of this specification to describe and govern the **FURNISHING AND DELIVERY OF ONE(1) 2014 OR CURRENT PRODUCTION YEAR HIGH LIFT ARTICULATED WHEEL LOADER WITH 2.75 CUBIC YARD MULTI-PURPOSE (4-IN-1) BUCKET WITH OPTIONAL TRADE-IN (BID #0039-14)** hereafter, referred to as the items.

SCOPE:

The bidder is to furnish and deliver any or all items as called for in the specifications as instructed by the Agency.

GENERAL:

The items shall be new and of the latest design. The items shall be furnished complete in every detail and ready for use when delivered to the Agency. Any item differing in minor details from these specifications may be considered, provided such differences are clearly noted and described in detail by the bidder and attached to the proposal and considered by the purchaser to be, in all essential respects in compliance with these specifications. If requested the bidder shall bring to the Agency, the items or a portion thereof, for a final inspection before the bid is awarded. The agency reserves the right to inspect manufacturing and warehouse facilities.

EQUAL/TIE BIDS:

In the event of equal or tie bids, the agency reserves the right to award, at its discretion, to any one of the equal or tie bidders.

PRICE DISCREPANCY:

If there is a discrepancy between the extended price and the unit price, the unit price shall prevail and the agency retains the right to recompute the extended price.

The agency also retains the right to check tie addition of all extended prices regardless of whether or not there is a discrepancy between the extended prices and the unit price. If the total sum of the extended price is incorrect, as a result of the bidders faulty arithmetic calculations, the agency will substitute the correct price and inform the vendor of the change.

GUARANTEE:

The bidder shall guarantee that the items and all its parts shall comply with this specification.

PRODUCT:

Only manufactured and farm products of the United States wherever available, shall be used in the performance of the specifications.

QUANTITY:

Quantities stated in the specifications are approximate quantities only, and the agency reserves the right to increase or decrease the quantities without increase or decrease in price.

PROPOSAL FORM:

Prices are to be quoted for each item to be bid upon by bidder. The Board of Recreation Commissioners reserves the right to accept or reject any or all items listed on the proposal and to award the contract in whole or in part as deemed in the best interest of the Board of Recreation Commissioners.

SAMPLE ONLY - PAGE #1

CONTRACT

This AGREEMENT, made and entered into this day of A. D. Two Thousand and and and between the MONMOUTH COUNTY BOARD OF RECREATION COMMISSIONERS, a body corporate and politic of the State of New Jersey, party of the first: part; AND

party of the second part.

WITNESSETH: That in consideration of the payments hereinafter specified and agreed to be made by the party of the first part, the party of the second part hereby covenants and agrees to furnish and deliver to the Monmouth County Board of Recreation Commissioners, in strict and entire conformity with the specifications hereto annexed, which are made a part of the Agreement as fully with the same effect as if the same had been set forth at length in the body of this Agreement.

The party of the second part agrees to make payment of all proper charges and labor and materials required in the aforementioned work, and indemnify and save harmless the party of the first part, its officers, agents and servants and each and every name and description, including royalty fees and claims for the use of patented materials or payments and from all damages to which the said party of the first part or any of its officers, agents and servants may be put by reason or injury to the person or property of others resulting from carelessness in the performance of said work, or through any improper or defective machinery, implements or appliances used by the said party of the second part in the aforesaid work, or through any act or omission on the part of the said party of the second part, or his agent or agents.

It is also agreed and understood that the acceptance of the final payment by the contractor shall be understood as a release in full of all claims against, out of, or by reason of the work done and materials furnished under this contract.

If proposals received for this contract include unit prices, the party of the first part reserves the right to increase or decrease any or all quantities in each item at the unit price bid.

IN CONSIDERATION OF the premises, the party of the first part agrees to pay the party of the second part for the said furnishing and delivery of

SAMPLE ONLY - PAGE #2

the same payable at the time and in the manner set forth in the specifications and proposal in connection with the same, which are a part of this contract, the same as though specifically set forth herein and attached hereto and made a part hereof is a true copy of the advertisement for bids.

IN WITNESS WHEREOF, the party of the first part has caused this instrument to be signed by the Chairman and attested by its Secretary, with its corporate seal hereto affixed, on *this* day and year first above written. The party of the second part is required to tactfully execute and carry out all requirements of the Affirmative Actions of P.L. 1975 c. 127.

**MONMOUTH COUNTY BOARD OF
RECREATION COMMISSIONERS**

BY: _____
Fred J. Rummel, Chairman

BY: _____

ATTEST:

ATTEST:

James J. Truncer
Secretary-Director

DATE: _____

DATE: _____

FURNISHING AND DELIVERY OF ONE (1) 2014 OR CURRENT PRODUCTION YEAR HIGH LIFT ARTICULATED WHEEL LOADER WITH 2.75 CUBIC YARD MULTI-PURPOSE (4-IN-1) BUCKET WITH OPTIONAL TRADE-IN.

SCOPE: The unit described shall be a new four wheel drive loader of manufacturer's latest design and production, completely serviced and ready for work including all standard equipment. The machine shall be designed and manufactured in the United States.

ENGINE: The engine is to be manufactured by the same company as entire machine to eliminate warranty concerns.

- Four Stroke Cycle, turbo charged diesel, six cylinders
- Engine Interim Tier 4 certified (no exceptions)
- Cylinders to be of the wet sleeve design for long service life and ease of repair and rebuild
- Pistons are to be oil sprayed with individual nozzles spraying each cylinder
- Valves are to be equipped with valve rotators and replaceable valve seats
- Two valves per cylinder
- Minimum displacement per cylinder: 1.0 liters
- Total engine displacement (minimum) 6.8 liters, 414 cu. in.
- Minimum net peak horsepower 167 @ 1900 rpm
- Maximum RPM: 2200
- Direct Fuel injection, electronically controlled rotary pump line nozzle
- Individual adjustment free injection pumps and valves
- 24 Volt starting system, 80 ampere alternator
- Two heavy duty 950 CCA batteries
- Three ring piston design
- Torque 524 lb. ft. @ 1400 rpm
- Required oil change no sooner than 500 hours
- Engine oil filter must be spin-on type mounted vertically for easy accessibility and to reduce spills
- Cab air restriction indicator
- Single serpentine belt, self adjusting – no separate belt for air conditioner (if equipped).
- Operator programmable auto-idle and auto shutdown
- Automatic derating for exceeded system temperatures

TRANSMISSION:

- Counter shaft-type power shift
- Four speeds forward and three speeds reverse
Maximum forward speed to reach 23 mph:
FORWARD SPEEDS:
1ST 4.5 mph
2ND 7.4 mph
3RD 14.2 mph
4TH 22.2 mph
REVERSE SPEEDS:
1ST 4.7 mph
2ND 7.8 mph
3RD 15.0 mph
- On the go shifting
- Operator to have full control of all shifting
- Joystick - Mounted F-N-R switch and gear select buttons
- Transmission neutralizer with lock-out for precision “inching control”
- Equipped with quick shift button on loader control lever to shift one gear automatically up and down from either 2nd and 1st gear or 3rd and 2nd gear
- Transmission filter to be mounted horizontally to ease maintenance and accessibility
- Two separate modes for manual or fully automatic shifting

The following transmission options shall be available to the operator through access on the cab monitor display:

- Quickshift – This feature shall be available in both automatic and manual transmission. It shall share the following modes of operation.
- Down/Up Mode – The first hit of the button on the loader lever shifts the transmission down one gear; the second hit returns the transmission to the original gear
- Down/Only – Each hit of the button drops the transmission one gear
- Automatic to First – In this mode the operator can set the machine so it automatically shifts and if the transmission senses the need to shift to first because of load it will automatically.
- Automatic Transmission – When auto transmission button is engaged the loader will shift automatically through gears while driving on the road.
- Manual Transmission – Operator will have manual control of shifting

AXLES:

- Rear oscillation +/- 12 degrees. Total of 24 degrees
- Rear wheel can raise or drop a total of 16.0" and still keep all wheels on the ground, for maximum traction
- Front differential lock shall be standard and provide 100% lockup on demand
- Nevergrease rear axle oscillation covered by structural warranty

FINAL DRIVES:

- Planetary reduction in each wheel, must be inboard mounted
- Planet gears ride on low friction long life roller bearings. Roller bearings cause less friction, generate less heat, and have lower maintenance cost than bushings. Bushings are not acceptable
- Ring gears shall be solid one piece ring sections. Rings are positioned by dowels and retained by the cap screws that hold the axle housings

STEERING:

- Center point frame articulation
- Rear and front wheels track at all times
- Closed Center System for low effort and precise control
- Full flow filtering
- Steering angle (each direction) 40 degrees
- Steering Relief valve setting 3650 PSI
- Steering system must be powered by an axial piston, variable displacement pump for maximum power, and lower maintenance costs
- Turning radius is to be 16'5" to centerline of outside tire
- Orbital steering valve with wide angle metering to reduce steering effort
- Priority system that assures hydraulic pressure and flow for steering are met before all other hydraulic needs
- Rubber cushions that reduce impact of full steering angle shall be provided

BRAKES:

- Powered by an axial piston pump
- Inboard mounted oil immersed wet disk brakes, enclosed and sealed, therefore maintenance free
- Brake inspection ports on back side of axle
- Fully Hydraulic actuated

- Fade resistant
- Two brake pedals, left pedal can be used to neutralize or not neutralize transmission, activated by switch on dash
- 7.6 GPM at 600 PSI and 2200 RPM
- Maximum system pressure is 2450 PSI

EMERGENCY BRAKING SYSTEM:

- Engages automatically when engine stalls or when hydraulic oil pressure diminishes
- System is separate and independent from primary brake system
- Allows operator to bring machine to a safe and complete stop
- Has manual override to be disengaged for service
- Meets all SAE and OSHA requirements
- Equipped with both audible and visual warnings

PARKING BRAKE:

- Fully enclosed wet disc completely protected from elements
- Electronically activated by rocker switch in cab
- Automatically activated when engine is shut down
- Neutralizes transmission when applied
- Warns operator with audible and visual alarms
- Spring applied, hydraulically released with mechanical override

HYDRAULIC CONTROL / CYLINDERS

- Lift circuit positions: raise, hold, lower and float, automatic kickout at full lift height and at level bucket position
- Tilt circuit positions: tilt back, hold and dump. Automatic bucket positioner.
- Boom height and return to carry adjustable from within cab via switch on console. No tools required.
- Single Lever joystick control for both loader and bucket
- Third spool valve with control lever and plumbing for Multi-Purpose Bucket Control
- All cylinders shall be built by loader manufacturer
- Cap seals shall be provided on all hydraulic pistons for long seal life and excellent cylinder reliability
- Threaded rod guides on all loader linkage and steering cylinders
- Chrome over nickel plating on a hardened rod for superior corrosion resistance and greater seal life
- Forged steel rods and cap ends
- Friction welded rod ends for maximum weld strength
- Factory installed Ride Control system to be included

HYDRAULIC SYSTEM:

- 50 GPM @ 2350 RPM and 1000 PSI
- Relief valve setting 3600 PSI
- Cylinders (double acting)
- Lift cylinder Bore & Stroke 6.29" x 28.8"
- Tilt cylinder Bore & Stroke 4.92" x 30.7"
- Hydraulic cycle times with rated load in bucket:
 - Raise.....5.8 seconds
 - Dump.....1.2 seconds
 - Lower, float down.....3.2 seconds
 - Total.....10.2 seconds
- Closed center system with variable displacement load sensing axle piston pumps
- System shall automatically adjust hydraulic flow to just meet requirements for the functions being performed. This shall save energy by eliminating the hydraulic flow over relief
- When changing filters a check valve shall be provided to prevent back flow to the hydraulic reservoir
- Quick disconnect ports shall be provided to aid in the diagnosis of pump, load sense and pilot pressure reducer
- To assure pressure for braking and pilot controls, three sources of hydraulic pressure shall be available. There shall be a main hydraulic pump, a hydraulic accumulator in the brake circuit and pressure in the boom lift cylinder available for braking
- Loader valve shall be located above the front axle to improve efficiency and minimize noise and heat in the operators station
- O ring face seals required.

CAB:

- Six door keys shall be supplied with machine
- Keyless start with multiple security modes
- ROPS fully enclosed with 35,000 BTU heater and air conditioning
- Multiple position tilt steering wheel, hinged midpoint of column, for ease of access and egress
- 3" seat belt with retractors
- Air suspension heated high back deluxe cloth seat with seat back position, lumbar support and adjustable arm rest
- Hydraulic controls integrated to seat
- Air distribution system with 9 circulating outlets and filtered intake system
- Electronic monitoring system with 3 levels of warning

- Noise level in cab when machine is working is not to exceed 70 dba. Must be verified in manufacturer's literature or on factory literature and included with bid
- 180 degree opening door
- Rear hinged door can be held in open position
- 2 Speed windshield wiper and washer
- Dome light and reading light
- One inside mirror mounted
- Sound absorbing material in headliner & floor mat to reduce sound
- AM/FM/WB radio mounted in headliner
- Sun visor
- 2 cup holders
- Lunch box cooler
- Cab mounted fire extinguisher
- Cycle counter switch to manage material quantities, keep track of up to five materials and multiple trucks
- Instrument panel with digital readout and microprocessor controlled monitoring systems with audible and visual warnings mounted on the right ROPS post, not on the dash, for improved visibility
- Machine shall have a deluxe electronic monitoring system
- LCD monitor shall be capable of monitoring vital machine functions. These functions include:
 - Coolant level
 - Engine oil pressure
 - Engine air filter
 - Battery voltage
 - Transmission filter restriction
 - Brake pressure
 - Hydraulic oil temperature
 - Hydraulic oil filter
 - Fasten seat belt
 - Park brake actuated
- The LCD monitor will detect a potential problem and the service required indicator will light along with the monitor function light
- The monitor will detect a critical problem and the stop engine indicator will light along with a steady lighted component indicator. An Intermittent audible warning will also be heard.

The monitor shall be capable of customizing the loader to the needs of the individual operator including:

- Clutch cut-off sensitivity
- Selection of quick shift modes
- Automatic first through fourth

- Automatic second through fourth
- Programmable maximum high gear

The monitor shall have the following:

- A job timer which is resettable and can be used for tracking how long a certain operation takes, or how long it has been since the last periodic service was performed.
- A stopwatch which can be used to check cycles or service personnel to make sure all functions are working to specifications.
- An hour meter which displays in tenths of an hour.
- The ability to display information in either English or Metric units.
- A diagnostic mode which will assist the technician in quickly locating faults of key engine and transmission functions.
- The ability to display both service codes and written descriptions for the technician to view without the need for any special equipment.
- Electrical fault information including type of fault, wire color, number and section of the technical manual for reference shall be displayed.
- The ability to show actual real time readings for systems parameters. This shall include actual engine:
 - Oil pressure
 - Left and right battery voltage
 - Coolant temperature
 - Throttle sensor
 - Fuel temperature
 - Hydraulic system pressure
 - Clutch speed
 - Clutch cut-off voltage
 - Torque converter input and output RPM.
 - Boom height
 - Bucket position
 - Fuel level
 - Ambient air temperature

The LCD monitor shall display the following in the normal mode:

- What gear transmission is in
- Direction selected on shift lever
- If automatic transmission is selected
- Engine RPM
- Hourmeter
- System Voltage
- Speedometer
- Odometer
- Outside Temperature

An LCD analog display will indicate the following:

- Hydraulic oil temperature
- Engine coolant temperature
- Transmission oil temperature
- Engine oil pressure

ELECTRICAL:

- Solid state electrical distribution center for reliability, with no more than 4 relays and 25 unsealed connections
- System shall use a 24 volt negative ground
- Major load center and electrical components shall be accessible behind service access door at right side of cab
- Electrical system shall bring all harnesses into one distribution center which provides a centralized easy service location for electrical components
- Electrical system shall be separated from hydraulic lines by steel partition
- Electrical connectors shall be lock type with silicone rubber seals to keep moisture and contaminants out
- Sealed Switch Module with a component life of 3 million cycles, designed to last the life of the machine. Maximum of 2 standard rocker switches
- Fuses and relays are to be located inside cab in a sealed compartment away from dirt and vibration
- 10 Amp 24 volt to 12 volt converter with receptacle

ADDITIONAL FEATURES:

- Transmission side frame guard and full bottom guards
- Battery disconnect
- Front and rear work and drive lights
- Vandalism protection
- Back-up alarm
- Front fenders and rear platform
- Stop & tail lights
- Directional signals front & rear with 4 way hazard flashers
- Drawbar, integrally mounted in counterweight
- Fuel priming pump
- Engine ether start aid
- Engine block heater

- Complete set of operator, parts and service manuals in print and on CD Rom (2 operator and 1 each parts and service)
- Chassis mounted lubrication chart denoting lubrication points and frequency intervals along with oil & filter change schedule
- License plate bracket with light

LOADER SPECIFICATIONS:

For comparative purposes, when equipped with a 100.4" wide 3.0 cubic yard pin-on general purpose bucket. 20.5 x 12 PR Radials

- Dump clearance 45 degree
- Full height 10.5"
- Reach 45 degree dump 7' clearance 5'8"
- Breakout force 22,395 lbs.
- Bucket hinge pin clearance 12'6"
- Maximum wheel base 9'7"
- Maximum digging depth 8.7"
- Maximum lift capacity
 - Full height 12,996 lbs.
 - Ground level 26,074 lbs.
- Reach 45 degree dump
 - Full height 39.3 inches
- Tipping load straight 20,602 lbs.
- Tipping load full turn 17,789 lbs.
- Bucket width maximum 100.4 inches
- Loader clearance circle,
 - Bucket in carry position 38'5:
- Operating weight lbs. 29,000 minimum
- Height to top of cab 10'7.6" maximum
- Turning radius 16'3"
- Must be equipped with single tilt cylinder to maximize the operators visibility when changing implements
- Equipped with Z bar configuration linkage for maximum performance and longevity due to reduced wear points
- Equipped with elliptically shaped center torque tube for maximum strength and visibility
- Ground Clearance 18"

TIRES:

- Four (4) 20.5 R25 L3 Titan Radials

RADIATOR:

- Multiple row type for efficient cooling
- Air intake provided under hood pre screened ambient air
- Maintenance and repair accessible by a hinged radiator guard
- Quad cooling system (Transmission, A/C Condenser, Intercooler, and Radiator, and Cooler) Coolers to be arranged on 4 sides, left, forward, right and top. Coolers shall not be stacked.
- Separate engine and cooling compartments
- All coolers shall have cleaning access on both sides of each cooler
- Cooling compartment located at rear of machine for unobstructed access to coolers from ground level
- Baffle shall separate engine compartment from coolers by 7 inches
- Swing out hydraulic driven fan with proportional control based on system temperature
- Minimum fan swing out 55 degrees enabling access for proper cleanout
- Reversing fan shall be provided which automatically back blows the cooling system every 30 minutes to prevent blockage from heavy airborne debris
- Manual override of reversing fan shall be standard equipment
- Centrifuged pre-cleaner to be installed

MAIN FRAME:

- Shall be a box frame construction to resist twisting and bending when operating on rough ground
- Four plate loader design for maximum strength and extended pin and bushing life in key components

SERVICE / MAINTENANCE:

- Machine is to feature two swing out doors on each side in rear of machine for engine access
- All daily maintenance check points centrally located and performed from ground level for safety. No climbing on machine required
- Machine equipped with diagnostic connectors for fast checking of starting and charging circuits
- Engine oil and filter change 500 hours
- Transmission filter change 2000 hours
- Hydraulic filter change 4000 hours
- Lubrication intervals:
 - Center pin 1,000 hours
 - Tapered roller bearing design
- Machine must be able to be refueled from ground level

- Fuel tank must be metal
- Fluid levels to meet the following minimum capacities:
 - Fuel Tank.....85.00 gallons
 - Cooling System.....23 Quarts
 - Engine Oil.....22 Quarts
 - Transmission fluid.....19.5 Quarts
 - Differentials + final drives (front).....18 Quarts
 - (rear).....18 Quarts
 - Hydraulic Tank.....24 Gallons
- No spin-on vertical filters

SAFETY:

- 3 inch wide seat belt
- Backup alarm
- LED turn signals and hazard flasher
- Halogen drive lights and high visibility stop light
- Horn mounted in center of steering wheel
- Two West coast mirrors, heated
- Large inclined steps with side to side limits and hand holds
- Platform at cab entry with handrails inside doorway
- Grab bars at rear align with steps making access to hood safe
- 3 point contact at all times when access to front, rear and around roof line is required
- Hydraulic pilot enable switch
- Neutral safety start feature
- Engine fan guard
- Boom lock to secure boom in raised position
- Frame lock to prevent articulation

WARRANTY

- First Six (6) Months, travel, mileage and hauling included
- 3 year / 10000 hours structural warranty
- One (1) year / 1,000 hour full machine warranty from date of delivery. Detailed information must be included with bid
- Must be a 100% factory backed warranty
- No mandatory oil sampling will be required. County records will be acceptable as proof of maintenance if warranty issue arises.

BUCKET AND COUPLER:

- JRB Coupler to be compatible with existing County attachments. Factory couplers are not acceptable
- JRB 2.75 Cubic Yard Multi Purpose 4 in 1 Bucket with bolt on edges

PARTS:

- Parts availability over the counter shall be a minimum of 95%
- All non stocking parts available in a 24 hour time frame
- Manufacture shall provide core replacement value for larger repair items.
- The following parts shall be available as core replacement and remanufactured parts: Transmission, Torque Converters, Engines, Fuel Pumps, Nozzles, and Turbochargers

TRADE-IN: The Monmouth County Park System has a wheel loader for an optional trade-in as follows:

Model/Year: 1990 Case 621 Wheel Loader
Vin # JAK0021487
Property Tag: PT#7010
Hours: 8,477 Approx total machine hours (as of 1/24/14)
*Note hour meter was replaced in unit Nov. 2003
@5,979 hrs.

TRADE-IN REVIEW DATE –

This wheel loader may be inspected on **Tuesday, May 20, 2014** during the regular business hours of 8:00 am – 2:30 pm at the Monmouth County Park System, Thompson Park, Equipment Services Division, 805 Newman Springs Rd., Lincroft, NJ 07738.

The Monmouth County Park System will not be responsible for the condition of this wheel loader (as reviewed for trade-in past the indicated 45-120 day delivery date.)

**METHOD OF
AWARD:**

The Monmouth County Park System reserves the right to reject the trade-in allowance and purchase the wheel loader at the bid price provided, if deemed to be in the best interest of the agency.

Vendor to call a minimum of 48 hours prior to making delivery

TITLE: The wheel loader shall be delivered with the Title/Certificate of Origin in the name of the Monmouth County Board of Chosen Freeholders, Hall of Records, One East Main Street, Freehold, NJ 07728

LICENSE PLATES:

The equipment shall be registered as a County Vehicle in the State of New Jersey with appropriate license plates (Government – CG Plates) and registration provided by vendor.

QUANTITY: One (1)

The Monmouth County Park System reserves the right to reject the trade-in allowance and purchase the wheel loader at bid price provided, if deemed to be in the best interest of the agency.

DELIVERY: The wheel loader shall be delivered F.O.B. to the Monmouth County Park System within 45-120 days maximum, after receipt of the order. The dealer must specify delivery time on the proposal page.

Wheel Loader is to be delivered to:

Thompson Park – Equipment Services Division

805 Newman Springs Road

Lincroft, NJ 07738

Attn: Areas #404

Phone: 732 –842-4000 Ext. #4282

***Call a minimum of 48 hours prior to delivery.**

CONTACT

PERSON: George Richdale, 732-842-4000, Ext. #4260

**NOTE: For vendor reference purposes only:
The unit specified shall be comparable to a John Deere 544K High Lift Articulated Wheel Loader with Coupler and 2.75 MP bucket**

BIDDER'S CHECKLIST

BID #: 0039-14

(Owner's checkmarks)



Items submitted with bid
(Bidder's **INITIALS**)



**A. FAILURE TO SUBMIT ANY OF THESE ITEMS WITH THE BID IS
MANDATORY CAUSE FOR REJECTION**

<u> X </u>	Proposal (Original)	_____
<u> X </u>	Statement of Ownership	_____
<u> X </u>	Non-Collusion Affidavit	_____

**B. ITEMS PREFERRED WITH THE BID, BUT MANDATORY PRIOR
TO AWARD OF CONTRACT**

<u> X </u>	Copy of the N.J. Business Registration Certificate for the bidder and any designated subcontractors	_____
<u> X </u>	EEO/Affirmative Action Compliance Notice	_____
<u> X </u>	References / List of previous and/or active relevant work	_____
_____	Resume(s)	_____
<u> X </u>	Disclosure of Energy Sector Investment Activities in Iran	_____

THE UNDERSIGNED BIDDER HERewith SUBMITS THE ABOVE REQUIRED DOCUMENTS:

PRINT NAME OF BIDDER: _____

SIGNED BY: _____

PRINT NAME AND TITLE: _____

DATE: _____

THIS CHECKLIST SHOULD BE INITIALED AND SIGNED WHERE INDICATED AND RETURNED WITH ALL DOCUMENTS

SUBMITTED

BY: _____
(Company Name)

PROPOSAL

FURNISHING AND DELIVERY OF ONE (1) 2014 OR CURRENT PRODUCTION YEAR HIGH LIFT ARTICULATED WHEEL LOADER WITH 2.75 CUBIC YARD MULTI-PURPOSE (4-IN-1) BUCKET WITH OPTIONAL TRADE-IN.

TO THE MONMOUTH COUNTY PARK SYSTEM, LINCROFT, NEW JERSEY

TO THE MONMOUTH COUNTY BOARD OF RECREATION COMMISSIONERS

The undersigned hereby declares that he has carefully examined the advertisement, specifications, and form of contract for furnishing the specified items and that -he will execute the contract according to the specifications, terms, and conditions with respect to the following:

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>TOTAL</u>
1.	2014 (Or Current Production Year) High Lift Articulated Wheel Loader with 2.75 Cu.Yd. Multi-Purpose (4-In-1) Bucket, as specified	1	\$ _____
2.	With <u>Optional Trade-In</u> of: Model/Year: 1990 Case 621 Wheel Loader Vin # JAK0021487 Property Tag: PT#7010 Hours: 8,477 Approx total machine hours (as of 1/24/14) *Note hour meter was replaced in unit Nov. 2003 @5,979 hrs.		
	MINUS TRADE-IN ALLOWANCE:		(-) \$ _____
	NET TOTAL:		\$ _____

The following are optional items which shall be bid separately. If County Funding is available, some of the available options may be chosen, if in the best interest of the Monmouth County Park System.

3. Optional Item#3 – Back up camera with object detection 1 \$ _____

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>TOTAL</u>
4.	Optional Item #4 – Strobe Package - Amber LED, 2 front and 2 rear	1 pkg.	\$ _____
5.	Optional Item #5 – Extended, Factory-Backed Warranty (Additional 6 years or 4,000 hrs, full Machine.	1 pkg.	\$ _____
6.	Optional Item #6 JRB 60” Fork Attachment with quick coupler	1 ea.	\$ _____
7.	Optional Item #7 Driveline Disconnect	1 ea.	\$ _____
8.	Optional Item #8 Hydraulic Axle Coolers for front and rear	1 set	\$ _____
9.	Optional Item #8 Automatic Dual Differential locking axles	1 set	\$ _____

Delivery Time: _____ days after receipt of order.

TAX EXEMPT #69-0220842

VARIANCE IF ANY: _____

The undersigned is a partnership under the laws of the State of _____
 a corporation (*please circle one*)
 an individual

having principle offices at: _____

MAILING ADDRESS: _____

PRINT NAME & TITLE: _____

FEDERAL ID # OR SOCIAL SECURITY #: _____

BUSINESS PHONE: _____ FAX: _____

E-MAIL ADDRESS: _____

SIGNATURE: _____ DATED: _____

CAUTION

REGARDING STATEMENT OF OWNERSHIP

The enclosed Statement of Ownership form must be properly completed. If it is not properly completed, your bid must be rejected, as required by N.J.S.A.40A:11-23.2. **Mistakes cannot be cured after bids are received.**

For example, if your firm, bidder "A", is entirely owned by corporation "B", you must disclose the names and addresses of the owners of 10% or more of corporation "B". Furthermore, if corporation "C" owns 10% or more of corporation "B", you must disclose the names and addresses of the owners of 10% or more of corporation "C", and so on, until the names and addresses of all persons, i.e., human beings, in this "10%" chain of ownership have been disclosed.

The same procedure applies if any 10% or more owner is a partnership, limited liability company, estate or any other type of legal entity, as opposed to a corporation.

STATEMENT OF OWNERSHIP

Name of Business: _____

I certify that the list below contains the names and home addresses of all stockholders holding 10% or more of the issued and outstanding stock of the undersigned.

OR

I certify that no one stockholder owns 10% or more of the issued and outstanding stock of the undersigned.

Check the box that represents the type of business organization:

Partnership

Corporation

Sole Proprietorship

Limited Partnership

Limited Liability Corporation

Limited Liability Partnership

Subchapter S Corporation

Stockholders:

Name:	Name:
Home Address:	Home Address:
<hr/>	
Name:	Name:
Home Address:	Home Address:
<hr/>	
Name:	Name:
Home Address:	Home Address:

(Signature)

(Print Name & Title)

NON-COLLUSION AFFIDAVIT

STATE OF NEW JERSEY

COUNTY OF _____ ss:

I, _____ of the City of

in the County of _____ and the State of

of full age, being duly sworn according to law on my oath depose and say that:

I am _____ of the firm of _____ the bidder making the Proposal for the above-named project, and that I executed the said Proposal with full authority so to do; that said bidder has not, directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free, competitive bidding in connection with the above-named project; and that all statements contained in said Proposal and in this affidavit are true and correct, and made with full knowledge that the County of Monmouth relies upon the truth of the statements contained in said Proposal and in the statements contained in this affidavit in awarding the contract for the said project.

I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies maintained

By _____
(Name of Contractor)

(N.J.S.A. 52:34-15)

Subscribed and sworn to _____

(Also type or print name of affiant under signature)

before me this _____ day
of _____ 20____

Notary Public of My commission expires _____, 20____

OFFICIAL SEAL OR STAMP REQUIRED.

EXHIBIT A

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE N.J.S.A. 10:5-31, et seq. N.J.S.A. (P.L. 1975, C. 127) N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICES AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

- a. The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.
- b. The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.
- c. The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- d. The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to **N.J.S.A. 10:5-31 et seq.**, as amended and supplemented from time to time and the Americans with Disabilities Act.
- e. The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with **N.J.A.C. 17:27-5.2**.

- f. The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.
- g. The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.
- h. In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.
- i. The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:
- Letter of Federal Affirmative Action Plan Approval
 - Certificate of Employee Information Report
 - Employee Information Report Form AA302 (electronically provided by the Division and distributed to the public agency through the Division's website at www.state.nj.us/treasury/contract_compliance)
- j. The contractor and its subcontractors shall furnish such reports or other documents to the Division of Public Contracts Equal Employment Opportunity Compliance as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Public Contracts Equal Employment Opportunity Compliance for conducting a compliance investigation pursuant to **Subchapter 10 of the Administrative Code at N.J.A.C. 17:27**.

EEO/AFFIRMATIVE ACTION COMPLIANCE NOTICE
N.J.S.A. 10:5-31 and N.J.A.C. 17:27
GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

All successful bidders are required to submit evidence of appropriate affirmative action compliance to the County and Division of Public Contracts Equal Employment Opportunity Compliance. During a review, Division representatives will review the County files to determine whether the affirmative action evidence has been submitted by the vendor/contractor. Specifically, each vendor/contractor shall submit to the Commission, prior to execution of the contract, one of the following documents:

Goods and General Service Vendors

1. Letter of Federal Approval indicating that the vendor is under an existing Federally approved or sanctioned affirmative action program. A copy of the approval letter is to be provided by the vendor to the Commission and the Division. This approval letter is valid for one year from the date of issuance.

Do you have a federally-approved or sanctioned EEO/AA program? Yes No
If yes, please submit a photostatic copy of such approval.

2. A Certificate of Employee Information Report (hereafter "Certificate"), issued in accordance with N.J.A.C. 17:27-1.1 et seq. The vendor must provide a copy of the Certificate to the Commission as evidence of its compliance with the regulations. The Certificate represents the review and approval of the vendor's Employee Information Report, Form AA-302 by the Division. The period of validity of the Certificate is indicated on its face. Certificates must be renewed prior to their expiration date in order to remain valid.

Do you have a State Certificate of Employee Information Report Approval? Yes No
If yes, please submit a photostatic copy of such approval.

3. The successful vendor shall complete an Initial Employee Report, Form AA-302 and submit it to the Division with a \$150.00 Fee and forward a copy of the Form to the Commission. Upon submission and review by the Division, this report shall constitute evidence of compliance with the regulations. Prior to execution of the contract, the EEO/AA evidence must be submitted.

The successful vendor may obtain the Affirmative Action Employee Information Report (AA302) on the Division website www.state.nj.us/treasury/contract_compliance.

The successful vendor(s) must submit the AA302 Report to the Division of Public Contracts Equal Employment Opportunity Compliance, with a copy to Public Agency.

The undersigned vendor certifies that he/she is aware of the commitment to comply with the requirements of N.J.S.A. 10:5-31 and N.J.A.C. 17:27 and agrees to furnish the required forms of evidence.

The undersigned vendor further understands that his/her bid shall be rejected as non-responsive if said contractor fails to comply with the requirements of N.J.S.A. 10:5-31 and N.J.A.C. 17:27.

COMPANY: _____

SIGNATURE: _____

PRINT NAME: _____

TITLE: _____

DATE: _____

County of Monmouth, State of New Jersey
Division of Purchasing
DISCLOSURE OF ENERGY SECTOR INVESTMENT ACTIVITIES IN IRAN
New Jersey Public Law 2012, Chapter 25

Solicitation Number: _____ Bidder / Respondent: _____

Project Description: _____

PART 1 – CERTIFICATION – CHECK THE APPROPRIATE BOX:

A. I certify that neither the Bidder / Respondent nor any of the Bidder's / Respondent's parents, subsidiaries, or affiliates, as defined in C.52:32-56(e), is on the "Chapter 25 List" created and maintained by the New Jersey Department of the Treasury, as a person or entity engaging in the energy sector investment activities in Iran described in C.52:32-56(f). The Chapter 25 List may be found at <http://www.state.nj.us/treasury/purchase/pdf/Chapter25List.pdf>.

OR

B. The Bidder / Respondent and/or one or more of its parents, subsidiaries or affiliates is a person or entity on the Chapter 25 List referred to above. A detailed and precise description of the relevant activities of the listed Bidder / Respondent and/or listed parents, subsidiaries or affiliates is provided in Part 2 below.

PART 2 – ADDITIONAL INFORMATION – COMPLETE PART 2 ONLY IF B. IN PART 1 IS CHECKED:

The following is an accurate and precise description of the energy sector investment activities in Iran of the Bidder / Respondent and/or listed parents, subsidiaries or affiliates, on the Chapter 25 List (attach additional pages as necessary to make full disclosure):

Name of Person(s) or Entity(ies) on the Chapter 25 List: _____

Relationship to Bidder / Respondent: _____

Description of Activities: _____

Duration of Engagement: _____ Anticipated Cessation Date: _____

Bidder / Respondent Contact Name: _____ Contact Phone Number: _____

Check here if additional pages are attached and state number of attached pages: _____ (Number of pages attached.)

CERTIFICATION FOR PART 1 AND, IF APPLICABLE, PART 2: I, being of full age, hereby certify that the foregoing information and any attachments hereto are to the best of my knowledge true and complete. I certify that I am authorized to execute this certification on behalf of the Respondent. I acknowledge that the County of Monmouth will rely on the information contained herein and thereby acknowledge that I and the Bidder / Respondent are under a continuing obligation from the date of this certification through the completion of any contracts with the County to notify the County in writing of any changes to the answers or information contained herein.

I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me is willfully false, I am subject to punishment and the Bidder / Respondent is subject to the penalties stated in C. 52:32-59 and C. 40A:11-2.1.

Full Name (Print) _____ Signature: _____

Title: _____ Date: _____