

**Minutes of a Regular Meeting of the
MONMOUTH COUNTY
STORMWATER TECHNICAL ADVISORY
COMMITTEE**

**Wednesday, June 2, 2021, 9:30 AM
Virtual Meeting via Webex**

1. CALL TO ORDER:

Mr. Casagrande called the meeting to order at 9:33 a.m.

2. COMPLIANCE STATEMENT: Open Public Meetings Act

Attorney Aikins offered a statement that the meeting was being held in compliance with P.L. 1975, c.231, the Open Public Meetings Act. He further noted that supplemental notice of remote participation in the meeting via Webex internet conference and telephonic conference was given in accordance with the guidelines established by the New Jersey Department of Community Affairs.

3. ROLL CALL – ATTENDANCE:

Members Present: Casagrande, Eareckson, Englehart, Morrissey, Schmetterer, Zimmerman

Members Absent: Barris, Fournier, Merkel,

Alternates Present: Santiago, Thompson

Staff Present: Mallm and Smith

Counsel: Aikins

4. Regular Reports:

A. Staff/Pre-Adoption Review Subcommittee- Ms. Mallm reported that staff have not seen any new Stormwater Management Plans. Ms. Mallm stated that the two ordinances under review for discussion at today's meeting are The Borough of Shrewsbury, and The Borough of West Long Branch. Ms. Mallm stated that after today's meeting, they will have three remaining ordinances to review which are Marlboro, Englishtown, and Spring Lake Heights. Ms. Mallm noted that the Pre-Adoption Review Subcommittee has not met and there are no updates on legislation. The next scheduled meeting date is July 7, 2021.

5. REVIEW OF MINUTES

The minutes of the May 5, 2021 meeting were reviewed. Ms. Morrissey moved to adopt the minutes and Mr. Eareckson seconded the motion. Ms. Thompson and Ms. Zimmerman abstained. Minutes were approved by voice vote.

6. OLD BUSINESS - None

7. NEW BUSINESS

Present at today's meeting is David Cranmer representing Shrewsbury Borough.

1. Borough of Shrewsbury – Ms. Mallm stated that she spoke with NDEP regarding her questions and comments, and they gave further direction on a few of the comments. Ms. Mallm stated that the first paragraph regarding the policy statement should be replaced to make mention of green infrastructure standards. Ms. Mallm then noted that Shrewsbury Borough seems to be trying to set specific standards for residential development. Ms. Mallm stated that based on her conversation with NJDEP, there are issues with how the applicability section aligns with the Residential Site Improvement Standards. Ms. Mallm recommended having a one on one meeting with NJDEP. Mr. Casagrande stated to Mr. Cranmer that this is not ready for approval and to contact Ms. Mallm to have the items resolved and resubmitted. Mr. Cranmer noted that they did have some goals that they needed to achieve in town, and they lowered some of the thresholds for quantity control. Mr. Cranmer stated that the ordinance might not reflect that, and he will work with Ms. Mallm to make it approvable.

2. Borough of West Long Branch - Ms. Mallm stated that the ordinance is consistent with NJDEP model. Ms. Thompson made a motion to recommend to the Monmouth County Planning Board to approve the Borough of West Long Branch Stormwater Control Ordinance. Ms. Morrissey seconded the motion. Motion passed unanimously.

8. COMMENTS FROM THE PUBLIC – None

9. ADJOURNMENT:

A motion was made by Ms. Thompson and seconded by Ms. Morrissey to adjourn at 9:46 a.m.