

Resolution No. 06-45

RESOLUTION AUTHORIZING THE ADOPTION OF
A POLICY AND PROCEDURE FOR POST-CONSTRUCTION
STORMWATER MANAGEMENT IN NEW DEVELOPMENT AND
REDEVELOPMENT IN MONMOUTH COUNTY HIGHWAY PROPERTY

Freeholder CLIFTON offered the following Resolution and

moved its adoption:

I. Purpose:

A resolution to establish minimum stormwater management requirements and controls for all new "major development," on Monmouth County property as defined in Section II. This mechanism accomplishes the following:

1. Adopts (and incorporates by reference) for such projects the applicable design and performance standards (including maintenance requirements) established under NJAC 7:8 for major development, and the storm drain inlet design standard in Attachment C: "Design standard - Storm Drain Inlets" of the NJDEP NJPDES Public Complex Stormwater General Permit (NJ0141879) and Highway Agency Stormwater General Permit (NJ0141887);
2. Requires that all such projects be designed to comply with these design and performance standards and this storm drain inlet design standard; and
3. Requires that Monmouth County's "Post-Construction Program Design Checklist for Individual Projects" be completed before each project's construction is approved.

II. Definitions:

For the purpose of this policy and procedure, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this policy and procedure clearly demonstrates a different meaning. When not inconsistent with the context, words used in the present tense include the future, words used in the plural number include the singular number, and words used in the singular number include the plural number. The word "shall" is always mandatory and not merely directory.

- a. County Highway – any highway or other thoroughfare operated by Monmouth County (including a maintenance facility or rest area for such a thoroughfare). For purposes of this policy and procedure a “highway or other thoroughfare” does not include:
 - 1. Any thoroughfare confined to the grounds of one or more buildings; or
 - 2. Any thoroughfare confined to a park or recreational area operated by Monmouth County.
- b. County - Monmouth County
- c. Development – means the division of a parcel of land into two or more parcels, the construction, reconstruction, conversion, structural alteration, relocation or enlargement of any building or structure any mining excavation or landfill, and any use or change in the use of any building or other structure, or land or extension of use of land, by any person, for which permission is required under the Municipal Land Use Law, NJSA 40:55D-1 et seq. In the case of development of agricultural lands, development means: any activity that requires a state permit; any activity reviewed by the County Agricultural board (CAB) and the State Agricultural Development Committee (SADC), and municipal review of any activity not exempted by the Right to Farm Act, NJSA 4:1C-1 et seq.
- d. NJDEP – means the New Jersey Department of Environmental Protection.
- e. NJPDES – means the New Jersey Pollutant Discharge Elimination System.
- f. Impervious surface – means a surface that has been covered with a layer of material so that it is highly resistant to infiltration by water.
- g. Major development – means any “development” that provides for ultimately disturbing one or more acres of land. Disturbance for the purpose of this rule is the placement of impervious surface or exposure and/or movement of soil or bedrock or clearing, cutting or removing of vegetation.
- h. Stormwater – means water resulting from precipitation (including rain and snow) that runs off the land’s surface, is transmitted to the subsurface, or is captured by separate storm sewers or other sewage or drainage facilities, or conveyed by snow removal equipment.
- i. Stormwater management measure – means any structural or nonstructural strategy, practice, technology, process, program or other method intended to control or reduce

stormwater runoff and associated pollutants, or to induce or control the infiltration or groundwater recharge of stormwater to eliminate illicit or illegal non-stormwater discharges into stormwater conveyances.

III. General Standards:

A. All New Development and Redevelopment Projects within Monmouth County property shall evaluate their respective applicability to the following:

1. Compliance with the applicable design and performance standards established under NJAC 7:8 for major development at Monmouth County, unless:
 - a. Those standards do not apply because of a variance or exemption granted in NJAC 7:8; or
 - b. Alternative standards are applicable under an area wide or Statewide Water Quality Management Plan adopted in accordance with NJAC 7:15.
2. When applicable under NJAC 7:8, ensure adequate, long-term operation and maintenance of BMPs within Monmouth County. This can include, but may not be limited to, preparing a project maintenance plan in accordance with NJAC 7:8-5.8, where applicable.
3. All new stormwater management measures which are created in part or as a result of compliance with NJAC 7:8 must be managed and maintained in accordance with the County's Public Complex Stormwater General Permit (NJ0141879) and Highway Agency Stormwater General Permit (NJ0141887).
4. Compliance, where applicable with the standards set forth in Attachment C of the County's Public Complex Stormwater General Permit (NJ0141879) and Highway Agency Stormwater General Permit (NJ0141887) to control passage of solid and floatable materials through storm drainage inlets.
5. Projects that do not require any Department permits (the term "permit," in this case, shall include transition area waivers under the Freshwater Wetlands Protection Act) under the Flood Hazard Area Control Act (NJSA 58:16A-50 et seq.), Freshwater Wetlands Protection Act (NJSA 13:9B-1 et seq.), Coastal Area Facility Review Act (NJSA 13:9-1 et seq.) or Waterfront and Harbor Facilities Act (NJSA 12:5-3) are not considered "new development or redevelopment projects" if construction began prior to the implementation deadline for this SBR,

or if the projects went to bid prior to the date on which the permittee received authorization under this permit.

B. Requirements for NJAC 7:8 applicable individual projects:

1. For all major development projects, the NJDEP "Post Construction Design Checklist for Individual Projects" must be completed prior to each new construction project approval.
2. These checklists have been included as Appendix A to this document.

IV. Penalties:

Any person who erects, constructs, alters, repairs, converts, maintains or uses any building, structure or land in violation of this policy shall be subject to a revocation of their construction contract, where applicable.

V. Effective Date:

This policy and procedure shall take effect immediately upon the approval and adoption by the Administration.

VI. Severability:

Where applicable, if the provisions of any section, subsection, paragraph, subdivision or clause of this policy and procedure shall be judged invalid by a court of competent jurisdiction, such order of judgment shall not affect or invalidate the remainder of any section, subsection, paragraph, subdivision or clause of this Resolution.

BE IT FURTHER RESOLVED that the Clerk of the Monmouth County Board of Chosen Freeholders forward a certified true copy of this Resolution to New Jersey Department of Environmental Protection.

Seconded by Freeholder BURRY and adopted on roll call by the following vote:

	YES	NO	ABSTAIN	ABSENT
Mrs. Burry	X			
Mrs. Handlin	X			
Mr. Narozanick	X			
Mr. Clifton	X			
Mr. Barham	X			

Highway Agency Stormwater General Permit Post-Construction Program Design Checklist for Individual Projects

For each question, attach additional sheets as necessary

Highway Agency
Information

Highway Agency: _____

NJPDES # : NJG _____ PI ID #: _____

Team Member: _____

Date: _____ Effective Date of Permit Authorization (EDPA): _____

1. Location of Project

- a. Project Name _____
- b. Highway Agency Project Number (if applicable): _____
- c. Road Name(s) (if applicable): _____
- d. Municipality(ies): _____
- e. County(ies): _____

2. Description (type of project)

- a. New alignment, widening, bridge replacement, intersection improvement, or other (describe): _____
- b. Area of proposed disturbance: _____ acres (include disturbance for easements, on/off ramps, etc. that are part of the project)
- c. Area of proposed additional impervious surface: _____ acres (include proposed additional impervious surface for easements, on/off ramps, etc. that are part of the project)
- d. Discharges to (identify surface water body(ies)): _____

3. Related NJDEP Permits

How much (if any) of the project requires at least one NJDEP permit (stream encroachment permit; freshwater wetlands permit or transition area waiver; CAFRA, coastal wetlands, or waterfront development permit) granted under the following statutes?

Application Number (if available)

Flood Hazard Area Control Act, N.J.S.A. 58:16A-50 et seq. _____

Freshwater Wetlands Protection Act, N.J.S.A. 13:9B-1 et seq. _____

Coastal Area Facility Review Act, N.J.S.A. 13:19-1 et seq. _____

Waterfront and Harbor Facilities Act, N.J.S.A. 12:5-3 _____

Answer (check one): ☐ The entire project ☐ Part of the project ☐ None of the project

4. Compliance with NJDEP Design and Performance Standards (N.J.A.C. 7:8)

a. Nonstructural stormwater management strategies

To the maximum extent practicable, does the project meet the applicable erosion control, groundwater recharge, and stormwater runoff quantity and quality standards at N.J.A.C. 7:8-5.4 and 5.5 by incorporating nonstructural stormwater management strategies at N.J.A.C. 7:8-5.3 into the design? Y (☐) N (☐)

Also see question #4.j in regard to the Low Impact Development Checklist.

b. Threatened and endangered species

Are the project's stormwater management measures designed to avoid adverse impacts of concentrated flow on habitat for threatened and endangered species as documented in the Natural Heritage Database established under N.J.S.A. 13:1B-15.147 through 15.150, particularly *Helonias bullata* (swamp pink) and/or *Clemmys muhlenbergi* (bog turtle)? Y (☐) N (☐)

c. Exemption for certain utility line and public pedestrian access projects

How much (if any) of the project is exempt under N.J.A.C. 7:8-5.2(d) from the groundwater recharge and stormwater runoff quantity and quality requirements at N.J.A.C. 7:8-5.4 and 5.5? Y (☐) N (☐) If "yes," check whichever of the following are applicable:

☐ The entire project ☐ Part of the project ☐ None of the project

If you checked "The entire project" or "Part of the project," check whichever of the following are applicable:

☐ Underground utility line ☐ Aboveground utility line ☐ Public pedestrian access

If you checked "The entire project," skip questions #4.d, #4.f, #4.g, and #4.h.

d. Waiver for certain roadway, railroad, and public pedestrian access projects

Are you claiming, for the enlargement (widening) of an existing public roadway or railroad or the construction or enlargement of a public pedestrian access, a waiver under N.J.A.C. 7:8-5.2(e) from strict compliance with the groundwater recharge and stormwater runoff quantity and quality requirements at N.J.A.C. 7:8-5.4 and 5.5? Y (☐) N (☐) If "yes":

- Check whichever of the following are applicable:
 - ☐ Enlargement of existing public roadway or railroad
 - ☐ Public pedestrian access

- Attach written documentation making the demonstration required under N.J.A.C. 7:8-5.2(e), unless "The entire project" or "Part of the project" is checked under question #3, and you have submitted or will submit this documentation to the NJDEP to obtain the related NJDEP permit(s).

- Check whether the waiver is for:

☐ The entire project ☐ Part of the project ☐ None of the project

If you checked "The entire project," skip questions #4.f, #4.g, and #4.h.

e. Erosion control

Is the project in its post-construction condition designed to meet the erosion control standards established under the Soil Erosion and Sediment Control Act, N.J.S.A. 4:24-39 et seq. and implementing rules? Y (☐) N (☐)

Does the project have a soil erosion and sediment control plan certified under that Act and those rules? Y (☐) N (☐) If "no," please explain: _____

f. Groundwater recharge

Under N.J.A.C. 7:8-5.4(a)2ii, how much (if any) of the project is outside the scope of the groundwater recharge requirement at N.J.A.C. 7:8-5.4(a)2i?

Answer (check one): ☐ The entire project ☐ Part of the project ☐ None of the project

If you checked "The entire project" or "Part of the project," check whichever of the following are applicable:

☐ Urban redevelopment area ☐ High pollutant loading area ☐ Industrial "source material"

If you checked "Part of the project" or "None of the project," is the project designed to meet the groundwater recharge requirement at N.J.A.C. 7:8-5.4(a)2i? Y (☐) N (☐) Also see question 4.j.

Will there be recharge of any stormwater from high pollutant loading areas, or of industrial stormwater exposed to "source material"? Y (☐) N (☐)

Is the project designed to avoid adverse hydraulic impacts on the groundwater table? Y (☐) N (☐)

g. Stormwater runoff quantity

Will the post-construction stormwater runoff flow only into tidal waters where the increased volume of stormwater runoff will not increase flood damages below the point of discharge? Y (☐) N (☐)

If "no," is the project designed to meet the stormwater runoff quantity standard at N.J.A.C. 7:8-5.4(a)3? Y (☐) N (☐) Also see question 4.j.

h. Stormwater runoff quality

Is the project subject to the requirement at N.J.A.C. 7:8-5.5(a) for 80 percent total suspended solids (TSS) reduction? Y (☐) N (☐)

If "yes," is the project designed to meet this requirement? Y (☐) N (☐) Also see question 4.j.

If "no," check whichever of the following are applicable:

☐ Less than ¼ acre of additional impervious surface ☐ NJPDES-based exemption

Is the project designed to meet the nutrient reduction standard at N.J.A.C. 7:8-5.5(e)? Y (☐) N (☐)

Are the project's stormwater management measures designed to prevent any increase in stormwater runoff to waters classified as FW1? Y (☐) N (☐) N/A (☐) (N/A if there is no stormwater runoff from the project to FW1 waters)

Does the project propose any encroachment within a special water resources protection area established under N.J.A.C. 7:8-5.5(h) to protect Category One waters? Y (☐) N (☐) Also see question 4.j.

If "yes," has the NJDEP approved the proposed encroachment? Y (☐) N (☐) Please explain if the NJDEP has not approved the proposed encroachment:

i. Other special circumstances

Are there special circumstances besides those noted above (e.g., alternative design and performance standards recognized under N.J.A.C. 7:8-5.1(b), and hardship waivers under N.J.A.C. 7:13-4.8) that result in one or more of the design and performance standards at N.J.A.C. 7:8-5 not being applicable to all or part of the project? Y (☐) N (☐)

If "yes," describe the circumstances and identify the standard(s) that are not applicable:

j. Calculations and stormwater engineering report

Was stormwater runoff calculated in accordance with N.J.A.C. 7:8-5.6? Y (☐) N (☐)

Attach a stormwater engineering report that includes the following information (unless the Exception below applies):

- A copy of Parts 1, 3, and 4 of the Low Impact Development Checklist (see Appendix A of the New Jersey Stormwater Best Management Practices Manual)
- A copy of a USGS topographical map(s), 7.5 minute quadrangle series, showing the project location and its HUC-14 watershed(s), and indicating any special water resources protection area(s) established under N.J.A.C. 7:8-5.5(h)
- Proof that the applicable groundwater recharge and stormwater runoff quantity and quality standards at N.J.A.C. 7:8-5.4 and 5.5 (or applicable alternative standards recognized under N.J.A.C. 7:8-5.1(b)) are met. This proof shall include complete printouts of all calculations (including detention, retention, and infiltration calculations for all basins), and shall compare existing and proposed recharge and discharge rates. The proof shall clearly explain how the attached calculations demonstrate compliance with the applicable standards. If the requirement at N.J.A.C. 7:8-5.5(a) for 80 percent TSS reduction is applicable, the proof shall detail how TSS reduction is achieved.

Exception: If "The entire project" is checked under question #3, have you submitted or will you submit the above information to the NJDEP to obtain the related NJDEP permit(s)? Y (☐) N (☐)

If "yes," it is not necessary to attach a stormwater engineering report.

k. Structural stormwater management

Is the project designed to meet the applicable standards for structural stormwater management measures at N.J.A.C. 7:8-5.7? Y (☐) N (☐)

l. Maintenance

Has the design engineer prepared for the project the maintenance plan required by N.J.A.C. 7:8-5.8? Y (☐) N (☐)

If "yes," attach the maintenance plan unless "The entire project" or "Part of the project" is checked under question #3, and you have submitted or will submit the maintenance plan for the entire project to the NJDEP to obtain the related NJDEP permit(s).

5. Compliance with NJDEP Design Standard for Storm Drain Inlets

Does the project include installation of any storm drain inlets? Y (☐) N (☐)

If "yes," is the project designed to comply with the standard set forth in Attachment C of the permit to control passage of solid and floatable materials? Y (☐) N (☐)

Attach a list of any storm drain inlets in the project that have hydraulic performance exemptions.

Are you claiming any alternative device exemptions or historic place exemptions for any of the storm drain inlets in this project? Y (☐) N (☐) If "yes," please explain:

Public Complex Stormwater General Permit Post-Construction Program Design Checklist for Individual Projects

For each question, attach additional sheets as necessary

Public Complex
Information

Public Complex:

NJPDES #: NJG ____ PI ID #:

Team Member:

Date ____ Effective Date of Permit Authorization (EDPA):

1. Location of Project

- a. Project Name
- b. Public Complex Project Number (if applicable):
- c. Municipality(ies):
- d. County(ies):

2. Description (type of project)

- a. Briefly describe (1) the purpose and intended use of the project, and (2) any pavement and/or structures to be erected or expanded:
- b. Area of proposed disturbance: ____ acres
- c. Area of proposed additional impervious surface: ____ acres
- d. Discharges to (identify surface water body(ies)):

3. Related NJDEP Permits

How much (if any) of the project requires at least one NJDEP permit (stream encroachment permit; freshwater wetlands permit or transition area waiver; CAFRA, coastal wetlands, or waterfront development permit) granted under the following statutes?

Application Number (if available)

Flood Hazard Area Control Act, N.J.S.A. 58:16A-50 et seq.
 Freshwater Wetlands Protection Act, N.J.S.A. 13:9B-1 et seq.
 Coastal Area Facility Review Act, N.J.S.A. 13:19-1 et seq.
 Waterfront and Harbor Facilities Act, N.J.S.A. 12:5-3

Answer (check one): The entire project ☐ Part of the project ☐ None of the project ☐

4. Compliance with NJDEP Design and Performance Standards (N.J.A.C. 7:8)

a. Nonstructural stormwater management strategies

To the maximum extent practicable, does the project meet the applicable erosion control, groundwater recharge, and stormwater runoff quantity and quality standards at N.J.A.C. 7:8-5.4 and 5.5 by incorporating nonstructural stormwater management strategies at N.J.A.C. 7:8-5.3 into the design? Y (☐) N (☐)

Also see question #4.j in regard to the Low Impact Development Checklist.

b. Threatened and endangered species

Are the project's stormwater management measures designed to avoid adverse impacts of concentrated flow on habitat for threatened and endangered species as documented in the Natural Heritage Database established under N.J.S.A. 13:1B-15.147 through 15.150, particularly *Helonias bullata* (swamp pink) and/or *Clemmys muhlenbergi* (bog turtle)? Y (☐) N (☐)

c. Exemption for certain utility line and public pedestrian access projects

How much (if any) of the project is exempt under N.J.A.C. 7:8-5.2(d) from the groundwater recharge and stormwater runoff quantity and quality requirements at N.J.A.C. 7:8-5.4 and 5.5? Y (☐) N (☐) If "yes," check whichever of the following are applicable:

The entire project ☐ Part of the project ☐ None of the project ☐

If you checked "The entire project" or "Part of the project," check whichever of the following are applicable:

Underground utility line ☐ Aboveground utility line ☐ Public pedestrian access ☐

If you checked "The entire project," skip questions #4.d, #4.f, #4.g, and #4.h.

d. Waiver for certain roadway, railroad, and public pedestrian access projects

Are you claiming, for the enlargement (widening) of an existing public roadway or railroad or the construction or enlargement of a public pedestrian access, a waiver under N.J.A.C. 7:8-5.2(e) from strict compliance with the groundwater recharge and stormwater runoff quantity and quality requirements at N.J.A.C. 7:8-5.4 and 5.5? Y (☐) N (☐) If "yes":

• Check whichever of the following are applicable:

Enlargement of existing public roadway or railroad ☐ Public pedestrian access ☐

- Attach written documentation making the demonstration required under N.J.A.C. 7:8-5.2(e), unless "The entire project" or "Part of the project" is checked under question #3, and you have submitted or will submit this documentation to the NJDEP to obtain the related NJDEP permit(s).

- Check whether the waiver is for:

The entire project ☐ Part of the project ☐ None of the project ☐

If you checked "The entire project," skip questions #4.f, #4.g, and #4.h.

e. Erosion control

Is the project in its post-construction condition designed to meet the erosion control standards established under the Soil Erosion and Sediment Control Act, N.J.S.A. 4:24-39 et seq. And implementing rules? Y (☐) N (☐)

Does the project have a soil erosion and sediment control plan certified under that Act and those rules? Y (☐) N (☐) If "no," please explain:

f. Groundwater recharge

Under N.J.A.C. 7:8-5.4(a)2ii, how much (if any) of the project is outside the scope of the groundwater recharge requirement at N.J.A.C. 7:8-5.4(a)2i?

Answer (check one): The entire project ☐ Part of the project ☐ None of the project ☐

If you checked "The entire project" or "Part of the project," check whichever of the following are applicable:

Urban redevelopment area ☐ High pollutant loading area ☐ Industrial "source material" ☐

If you checked "Part of the project" or "None of the project," is the project designed to meet the groundwater recharge requirement at N.J.A.C. 7:8-5.4(a)2i? Y (☐) N (☐) Also see question 4.j.

Will there be recharge of any stormwater from high pollutant loading areas, or of industrial stormwater exposed to "source material"? Y (☐) N (☐)

Is the project designed to avoid adverse hydraulic impacts on the groundwater table? Y (☐) N (☐)

g. Stormwater runoff quantity

Will the post-construction stormwater runoff flow only into tidal waters where the increased volume of stormwater runoff will not increase flood damages below the point of discharge? Y (☐) N (☐)

If "no," is the project designed to meet the stormwater runoff quantity standard at N.J.A.C. 7:8-5.4(a)3? Y (☐) N (☐) Also see question 4.j.

h. Stormwater runoff quality

Is the project subject to the requirement at N.J.A.C. 7:8-5.5(a) for 80 percent total suspended solids (TSS) reduction? Y (☐) N (☐)

If "yes," is the project designed to meet this requirement? Y (☐) N (☐) Also see question 4.j.

If "no," check whichever of the following are applicable:

Less than ¼ acre of additional impervious surface ☐ NJPDES-based exemption ☐

Is the project designed to meet the nutrient reduction standard at N.J.A.C. 7:8-5.5(e)? Y (☐) N (☐)

Are the project's stormwater management measures designed to prevent any increase in stormwater runoff to waters classified as FW1? Y (☐) N (☐) N/A (☐) (N/A if there is no stormwater runoff from the project to FW1 waters)

Does the project propose any encroachment within a special water resources protection area established under N.J.A.C. 7:8-5.5(h) to protect Category One waters? Y (☐) N (☐) Also see question 4.j.

If "yes," has the NJDEP approved the proposed encroachment? Y (☐) N (☐) Please explain if the NJDEP has not approved the proposed encroachment:

i. Other special circumstances

Are there special circumstances besides those noted above (e.g., alternative design and performance standards recognized under N.J.A.C. 7:8-5.1(b), and hardship waivers under N.J.A.C. 7:13-4.8) that result in one or more of the design and performance standards at N.J.A.C. 7:8-5 not being applicable to all or part of the project? Y (☐) N (☐)

If "yes," describe the circumstances and identify the standard(s) that are not applicable:

j. Calculations and stormwater engineering report

Was stormwater runoff calculated in accordance with N.J.A.C. 7:8-5.6? Y (☐) N (☐)

Attach a stormwater engineering report that includes the following information (unless the Exception below applies):

- A copy of Parts 1, 3, and 4 of the Low Impact Development Checklist (see Appendix A of the New Jersey Stormwater Best Management Practices Manual)
- A copy of a USGS topographical map(s), 7.5 minute quadrangle series, showing the project location and its HUC-14 watershed(s), and indicating any special water resources protection area(s) established under N.J.A.C. 7:8-5.5(h)
- Proof that the applicable groundwater recharge and stormwater runoff quantity and quality standards at N.J.A.C. 7:8-5.4 and 5.5 (or applicable alternative standards recognized under N.J.A.C. 7:8-5.1(b)) are met. This proof shall include complete printouts of all calculations (including detention, retention, and infiltration calculations for all basins), and shall compare existing and proposed recharge and discharge rates. The proof shall clearly explain how the attached calculations demonstrate compliance with the applicable standards. If the requirement at N.J.A.C. 7:8-5.5(a) for 80 percent TSS reduction is applicable, the proof shall detail how TSS reduction is achieved.

Exception: If "The entire project" is checked under question #3, have you submitted or will you submit the above information to the NJDEP to obtain the related NJDEP permit(s)? Y (☐) N (☐)

If "yes," it is not necessary to attach a stormwater engineering report.

k. Structural stormwater management

Is the project designed to meet the applicable standards for structural stormwater management measures at N.J.A.C. 7:8-5.7? Y (☐) N (☐)

l. Maintenance

Has the design engineer prepared for the project the maintenance plan required by N.J.A.C. 7:8-5.8? Y (☐) N (☐)

If "yes," attach the maintenance plan unless "The entire project" or "Part of the project" is checked under question #3, and you have submitted or will submit the maintenance plan for the entire project to the NJDEP to obtain the related NJDEP permit(s).

5. Compliance with NJDEP Design Standard for Storm Drain Inlets

Does the project include installation of any storm drain inlets? Y (☐) N (☐)

If "yes," is the project designed to comply with the standard set forth in Attachment C of the permit to control passage of solid and floatable materials? Y (☐) N (☐)

Attach a list of any storm drain inlets in the project that have hydraulic performance exemptions.

Are you claiming any alternative device exemptions or historic place exemptions for any of the storm drain inlets in this project? Y (☐) N (☐) If "yes," please explain:

RESOLUTIONS

(COUNTY COUNSEL - cont'd.)

- 06-46 RESOLUTION AUTHORIZING THE ADOPTION OF A POLICY AND PROCEDURE TO PROHIBIT THE FEEDING OF UNCONFINED WILDLIFE ON MONMOUTH COUNTY HIGHWAY PROPERTY
- 06-47 RESOLUTION AUTHORIZING THE ADOPTION OF A POLICY AND PROCEDURE TO PROHIBIT THE IMPROPER DISPOSAL OF WASTE INTO STORM SEWERS AT COUNTY HIGHWAYS
- 06-48 RESOLUTION AUTHORIZING THE ADOPTION OF A POLICY AND PROCEDURE TO PROHIBIT LITTERING AT ANY COMPLEX OR PROPERTY OWNED OR OPERATED BY MONMOUTH COUNTY
- 06-49 RESOLUTION AUTHORIZING THE ADOPTION OF POLICY AND PROCEDURE TO PROHIBIT ILLICIT CONNECTIONS TO STORM SEWERS ON COUNTY HIGHWAYS

ENGINEERING

- 06-50 RESOLUTION AUTHORIZING ACQUISITION OF RIGHT-OF-WAY FOR THE RECONSTRUCTION OF BRIDGE R-15 ON COUNTY ROUTE 516, MIDDLE ROAD, AT FLAT CREEK, IN THE TOWNSHIP OF HAZLET
- 06-51 RESOLUTION APPROVING PLANS AND SPECIFICATIONS FOR INTERSECTION IMPROVEMENTS AT COUNTY ROUTE 52, CRAWFORDS CORNER ROAD, AND STILLWELL ROAD/SUNNYSIDE ROAD, IN THE TOWNSHIPS OF MIDDLETOWN AND HOLMDEL
- 06-52 RESOLUTION APPROVING PLANS AND SPECIFICATIONS FOR THE INTERSECTION IMPROVEMENTS AT COUNTY ROUTE 516, LOWER MAIN STREET, AND GERARD AVENUE, IN THE TOWNSHIP OF ABERDEEN
- 06-53 RESOLUTION AUTHORIZING HNTB CORPORATION TO PROVIDE ON-CALL PROFESSIONAL ENGINEERING SERVICES NECESSARY FOR THE ELECTRICAL/MECHANICAL REPAIR AND MAINTENANCE OF VARIOUS MOVABLE BRIDGES IN THE COUNTY OF MONMOUTH, AND AUTHORIZING EXECUTION OF A PROFESSIONAL SERVICES AGREEMENT FOR SAID SERVICES
- 06-54 RESOLUTION CONSENTING TO THE MUNICIPAL ORDINANCE NO. 13-05 AMENDING AND REVISING CHAPTER VII, "TRAFFIC" OF THE REVISED ORDINANCES OF THE BOROUGH OF KEYPORT, COUNTY OF MONMOUTH, STATE OF NEW JERSEY
- 06-55 RESOLUTION ESTABLISHING A MID-BLOCK PEDESTRIAN CROSSWALK ON CR. 537 (EAST MAIN STREET) IN THE VICINITY OF THE HENRY HUDSON TRAIL IN THE BOROUGH OF FREEHOLD, MONMOUTH COUNTY

FINANCE

AN ORDINANCE AUTHORIZING VARIOUS CAPITAL PROJECTS BY THE COUNTY OF MONMOUTH.

- 06-56 RESOLUTION SETTING DATE & TIME FOR PUBLIC HEARING AND FINAL ADOPTION OF ORDINANCE
- 06-57 RESOLUTION PROVIDING FOR THE TRANSFER OF FUNDING BETWEEN 2005 CURRENT APPROPRIATIONS PURSUANT TO N.J.S.A. 40A:4-59.
- 06-58 RESOLUTION AUTHORIZING THE ESTABLISHMENT OF A CAP BANK WITHIN THE 2006 COUNTY BUDGET (N.J.S.A. 40a:4-45.14).
- 06-59 RESOLUTION AUTHORIZING EXECUTION OF VARIOUS DOCUMENTS IN CONNECTION WITH THE ISSUANCE BY THE MONMOUTH COUNTY IMPROVEMENT AUTHORITY OF ITS BONDS IN CONNECTION WITH THE POOLED GOVERNMENTAL LOAN REFUNDING REVENUE BOND PROGRAM.